Index for Volume 76

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses. Pages of errata are in italic type.

Abawi, G. S., 1064, 1087
Abbas, H. K., 1061, 1063
Abdel-Gawad, K. I., 563
Abdelgawad, T. I., 1133
Abney, T. S., 1093, 1098
Abrahamson, D. S., 650
Abstracts
—annual meeting, 1057
—Caribbean division, 372, 1057
—North Central division, 956
—Northeastern division, 650
—Pacific division, 841
—Potomac division, 562
—Southern division, 1057
Acosta, O., 1182
Acremonium coenophialum, on fescue
—identification with ELISA, 1125
—sterol inhibitor fungicide for, 1108
Adams, G. C., 1123, 1126, 1239
Adams, P. B., 101
Adams, S. S., 1068, 1083
Adaskaveg, J. E., 841
Adelman, M., 1099
Adkins, C. R., 679
Aebig, J. A., 1132
Aerobiology, spore trap, volumetric, 127
Agaricus bisporus
—growth regulator effect on, 563
—LaFrance disease, viral etiology, 1121
Agostini, J. P., 707
Agrios, G. N., 1031, 1034
Agrobacterium spp.: antisera for, strain specific, 1077; ethylene production, 1117; ribosome purity in serology, 1323; strains of, ribosomal subunits of, serology, 1265
—*A. tumefaciens*: apple strains, antagonism of pseudomonads to, 1135; biovar 3, population dynamics, 1070; on grape, infection process, 1118
Ahmad, J. S., 1104
Ainsworth, A. J., 1132
Aist, J. R., 1097, 1141
Aiton, M. M., 1075
Akem, C. N., 1115
Albert, F. G., 1138
Alcaligenes sp., *Fusarium oxysporum* chlamydospore germination effect, 171
Alcorn, S. M., 1093, 1124, 1142
Alderman, S. C., 715, 1083
Aldwinckle, H. S., 656, 670
Alegría, A., 1182
Alexander, J. D., 1131
Alfalfa
—*Aphanomyces* and *Phytophthora* infection, seedling root rot from, 1146
—*Colletotrichum trifolii* on, induced protection, factors, 1143
—damping-off of, carbofuran effect, 563
—Fusarium wilt and root-knot relation, interactions, 843
—leaf spot, spatial pattern analysis, 190
—leaf spot pathogens in North Carolina, 1063
—leaf spot resistance, assessment in North Carolina, 1106
—ozone and root and crown rot interaction, 651
—*Peronospora trifoliorum* on, resistance, 1143
—rust pathosystem, crop loss estimation, 1108
—seedling blight caused by nematodes, seed treatment, 1139
—soilborne fungi and stem nematode association, in Colorado, 842
—spring black stem: alfalfa blotch leafminer role, 653; sprinkler irrigation effect, 844
—Verticillium wilt: anatomical response, 522, (524-526); infection process in seeds, 1108; leafcutter bee vector, 75, (75-78); soil strain persistence, 576
Alfalfa mosaic virus, detection by dot hybridization and ELISA, 1061
Alisma triviale, phylloplane of, microorganisms in, wild rice field, 1138
Allard, R. W., 661, 843, 1102
Alldredge, J. R., 342
Allen, T. C., 253, 843
Almond, lignification of, wound-induced, 1107
Alternaria spp.
—*A. alternata*, on soybean seed, histopathology, 543, (544, 545)
—*A. brassicae*, toxin from, host-specific, 1103
—*A. brassicicola*, on cabbage, disease progress, 1114
—*A. panax*, on three foliage plants, host nutrition effect, 1071
—*A. solani*, on potato: interaction with *Verticillium* and leafhopper, 1046; leaf age effect, 657
Alvarez, A. M., 1078
Aly, H. M., 562
Amador, J. M., 375
American Phytopathological Society
—abstracts (see Abstracts)
—annual report, 7
—awards, historical listing, 36
—CIBA-Geigy award, 35
—fellows, 30
—manuscript preparation, 4
—officers, representatives, and committees, 28
—presidential address, Lockwood, 20
—reviewer acknowledgment, 1
—Ruth Allen award, 34
Amerson, H. V., 1085
Ames, M. E., 841
Ames, R. N., 1110
Amyelois transitella, on pistachio, relation to splitting and tattering, 692
Andersen, G. L., 1118
Anderson, A. J., 1138
Anderson, D. L., 581
Anderson, N. A., 957
Anderson, R. L., 1084, 1085, 1086, 1133
Andrews, J. H., 1104, 1115
Anguillospora pseudolongissima, mycoparasite on *Glomus deserticola*, 351
Anikster, Y., 1026
Ann, P. J., 1142
Antonopoulos, A. A., 956, 958
Antoun, G. G., 654, 658
Anzalone, L., Jr., 841
Aphis gossypii, watermelon mosaic virus 2 vector
—acquisition and inoculation, 1276
—spatial and temporal spread, 1254
Apium spp., Fusarium wilt of, lignin deposition, 1107
Appel, D. N., 1114
Apple
—crown rot of, biological control, 847
—dead spur of, graft transmission, 1074
—*Erwinia amylovora* endophytes, core tissue absence, 1140
—fire blight: chemical control and motility role, 441; scanning electron microscopy, 900, (901-903); stigma role, 476, (481)
—fly speck and sooty blotch of, pruning effect, 1083
—fungicide and insecticide application, integration, 652
—fungicide effect, sterol-inhibiting, 1066
—leaf resistance to scab, morphology, 1102
—*Penicillium expansum* on, postharvest calcium treatment, 1128
—postharvest disease control with yeast, 1133
—powdery mildew, protective spray program, 1128
—Reuter-Stokes scab predictor, spray applications in Missouri, 1066
—scab: ascospore dose forecasting, 112, (114); control by *Chaetomium globosum*, failure, 1103; ergosterol biosynthesis-inhibiting fungicides, 119; lesion density, 654
Apple, J. D., 56
Aragaki, M., 1124, 1130
Arceuthobium vaginatum, on pine, growth and mortality effect, 1113
Arlt, M., 1088
Armillaria spp.: Alaskan isolates, pathogenicity, 1081; rhizomorphs in soils, spruce stand decline, 659
—*A. mellea*: bacteria and rickettsiae-like organisms infecting, 1141; complex, basidiocarps and haploidy, 656; rhizomorph differentiation, alcohol dehydrogenase level, 1081; on sour cherry, in Michigan, 1080
Arneson, P. A., 568, 869, 874
Arunakumari, A., 1136
Ascochyta lentis, on lentil, seedborne, 355, (356)
Ash
—mycoplasma-like organisms on, oxytetracycline therapy, 650
—yellows and decline of, in Massachusetts, 650
Asparagus
—Cercospora blight: evaluation, 1114; growth and sporulation conditions, 617
—slow-rusting in, components, 208
—virus infection of, root response, 1134
—viruses I and II, purification and assay in New Jersey, 656
Aspen
—ecology of fungi and elk in mountain ecosystems, 1058
—stem canker, resistance estimation by ordination, 1289
Aspergillus spp.
—*A. flavus*: on corn, aflatoxin and inoculation technique, 290; on corn, aflatoxin production, 373; on corn, irrigation and tillage effect, 679; growth, cotton leaf volatiles, 1125; in raisins, suppression by solar heating, 335
A. parasiticus, aflatoxin biosynthesis by, enzyme characterization, 1145
Asquith, T. N., 1315
Aster yellows, in aster leafhoppers, dual infection with oat blue dwarf virus, 1062
Atapia, E. E., 1115
Atcham, T., 1062
Atkinson, M. M., 1101
Atropa belladonna, mottling disease, in India, 1109
Augustin, B. J., 1057
Avissar, R., 1094
Avocado, Phytophthora root rot, induced resistance, 194

Awuah, R. T., 1202
Axelrood, P. E., 1086
Ayers, J. E., 129, 254
Ayers, W. A., 101
Azad, H., 841, 846, 1134
Azadirachta indica, seed extract, toxicity to *Rhizoctonia* and *Fusarium*, 1129
Azaizeh, H. A., 1091

Babadoost, M., 1108
Bachi, P. R., 1106
Bacillus subtilis
—antagonistic to *Monilinia*, substance characterization, 136
—mutations in, *kan,sac* cartridge for generation, 1100
Backman, P. A., 376, 1094, 1106
Bactericides, testing and representative bacteria, 1135
Baenziger, P. S., 566
Bahme, J. B., 1086
Bahrani, Z., 1133
Bailey, J. E., 1067, 1083, 1127
Bains, P. S., 1103
Bair, W., 129
Baker, C., 372
Baker, C. J., 1101, 1124, 1143
Baker, R., 518, 720, 1104, 1105
Baker, R. A., 1135
Baldwin, J. G., 375
Ball, E. M., 1131
Ballester, J., 375
Bamboo, virus detection in Okinawa, 1122
Banana, black sigatoka disease
—bitertanol for control, 376
—propiconazol for control, 377
Banana streak virus, purification and serology, 995, (996, 997)
Bandong, J. M., 1105
Bandy, B. P., 650
Banik, M. T., 653
Banttari, E. E., 1062
Barash, I., 1081
Barbara, D. J., 1131, 1132
Bar-Joseph, M., 820
Barkai-Golan, R., 42
Barkdoll, A. W., 1064
Barker, K. R., 1139
Barksdale, T. H., 563
Barley
—canopies from, fungicide treated seed, spectroradiometric readings, 1147
—Fusarium root rot, water stress effect, 1098
—kernel discoloration, resistance screening, 1060
—leaf spots of, foliar fungicides for, multispectral radiometry use, 957
—net blotch of, rate-reducing resistance to, 1146
—powdery mildew: *ml-o* resistance, 1097; resistance, sugar composition, and acid invertase activity, 365; resistance induction, 301
—*Rhizoctonia solani* on, isolate characterization in Australia, 1245
—rust of, slow rusting and three races, 1105
—scald, California and Montana, 1146
—virus-like disease of, unique particle, 1120
Barley soil mosaic virus, effect on malting quality and identification in central valley of Mexico, 377
Barley stripe mosaic virus
—deterioration after antibody decoration, 339
—genetic analysis, 360, (363)
—isolate variation, 1122
—isozyme patterns in barley cultivars, 1131
—poa semilatent virus compared to, 322, (323)
Barley yellow dwarf virus
—antivirus monoclonal antibody, production, 1062
—aphid transmission mechanism, 653
—beet western yellows virus compared with, 1270, (1272)
—DNA clones, 1131
—ecology and epidemiology in Indiana, ELISA, 86
—isolate detection with antibodies, electron microscopy, 225, (227-229)
—on oats, yield effect, 563
Barlow, E., 1137
Barnard, E. L., 1059
Barnett, O. W., 390
Barrera, C. E., 1122
Barta, T. M., 1076
Barton-Willis, P. A., 1140
Bartz, J. A., 1077, 1087, 1114
Batarseh, S. F., 1127
Batzer, J. C., 1117
Baudoin, A. B. A. M., 562, 1145
Baxter, L. W., Jr., 1072
Bayot, R. G., 441
Bays, D. C., 764, 1127
Beagle-Ristaino, J., 841, 1124
Bean (see also *Phaseolus* spp.)
—bacterial multiplication in leaves of, host plasma membrane exchange, 1101
—common blight, hydrogen fluoride effect, 1067
—disease resistance to, methodology, 1135
—*Pseudomonas syringae* on, strain effects and disease, 1069
—rust, uredospore development and cyclic nucleotides, 1128
Bean, G. A., 562, 564
Bean golden mosaic virus
—nuclear inclusion bodies, light microscopy, 124
—resistance by nursery management, 1073
Bean rugose mosaic virus
—biological and physicochemical properties, 1182, (1183-1185, 1187)
—replication, 1096
Bean yellow mosaic virus
—clover yellow vein virus differentiated from, antigenic distinction, 1061
—nuclear inclusion and cytoplasmic crystal induced by, immunofluorescence, 1061
Beck, D. L., 1095
Beczner, L., 1073
Bedker, P. J., 1058
Beer, S. V., 656, 900
Beet necrotic yellow vein virus, resistance and correlations, 1074
Beet western yellows virus
—barley yellow dwarf virus compared with, 1270
—overwintering in winter annual weeds, 847
Bell, D. K., 248, 1115
Bemisia tabaci
—Jatropha mosaic virus vector, ultrastructure, 80, (81-84)
—lettuce infectious yellows virus vector, 97
—virus vectors on melon and lettuce in Arizona, 236
Benary, A. J., 1077
Benda, G. T. A., 1109
Bender, C. L., 1100
Benedict, A. A., 1078
Benner, C. P., 795, 1138
Bennett, J. H., 1338
Bennett, R., 562
Benson, D. M., 1072, 1083, 1190
Ben-Yephet, Y., 842
Bergdahl, D. R., 650, 653, 655
Berger, P. H., 1063
Berger, R. D., 1108
Berggren, G. T., Jr., 1063, 1101, 1123, 1125, 1147
Bergstrom, G. C., 586, 651, 653, 1123
Berman, P. M., 659
Bermudagrass, spring dead spot, fungus pathogens, 1130
Bernales E., C., 372
Bernard, E. C., 1082
Bernd, R. B., 562
Berner, D. K., 1125
Bertrand, P. F., 1108, 1139
Besemer, S., 1071
Besoaín, X., 1112
Bethlenfalvay, G. J., 1110
Bettiga, L., 1064
Beute, M. K., 468, 495, 715, 860, 1147
Bhatnagar, D., 1144, 1145
Biggs, A. R., 905
Bijaisoradat, M., 1132
Biological control
—agents for delivery to soil, 1086
—*Alcaligenes* for *Fusarium oxysporum*, iron competition, 171
—*Bacillus subtilis*: to *Monilinia fructicola*, substance characterization, 136; in peanut rhizosphere, 1094
—bacteria: for geranium rust, 1134; for *Monilia roreri* epiphytes, 1118; for *Rhizoctonia solani* on rice, 1260
—*Botrytis cinerea* in greenhouse roses, 1071
—*Cochliobolus sativus* to *Pyrenophora tritici-repentis* on wheat leaves, 1123
—cucumber anthracnose, induced systemic protection, 186
—cucumber root colonization in composted tree bark, 1123
—*Enterobacter cloacae* to *Pythium ultimum*, 327, (330, 332)
—*Glomus intraradices* and *Fusarium oxysporum* on tomato, phosphorus effects, 942
—grey snow mold in creeping bentgrass, 650
—peanuts to Cercosporidium leaf spot, factors, 990
—peat carrier interactions, 1104
—pseudomonads: antagonistic to *Erwinia carotovora* in potato seed piece, 414, (419); for tobacco black root rot, 181, (183)
—pseudomonads and *Erwinia* in potato, field evaluation, 423
—*Pseudomonas fluorescens*: for *Penicillium* spp., 176; *Pythium* and siderophore production, 1069
—Pythium damping-off: with composted bark, 1105; of cucumbers with *Pythium*, 1105
—Rhizoctonia crown rot of sugar beet by *Laetisaria arvalis*, 1103
—*Rhizoctonia solani* by fungi and insects, 1104
—*Sclerotinia minor* by *Sporidesmium sclerotivorum*, 101
—seed application, rhizosphere colonization, 60, (63)
—take-all of wheat, agents, 1319
—*Talaromyces flavus*: edaphic parameters, 643; for Verticillium wilt of potato, 563
—*Trichoderma*: for pea damping-off, mechanism of control, 720; for Rhizoctonia damping-off of radish, 306
—*Trichoderma* spp. and plant growth, 518
—*Trichoderma* and *Gliocladium*, isozyme polymorphism, 659
—wheat tan spot with foliar bacteria, 1122
Bipolaris spp.
—*B. maydis*: on corn, *Ht* gene effect, 108; race T, conidium germination, factors, 1145; race T, on corn leaves, appressorium formation and sporulation, 1148; race T, protein in hyphal sheath of, 792, (793)
—*B. sorokiniana*, methionine effect on ethylene and aminocyclopropane-carboxylic acid production, 851
Bird, J., 80, 124
Bird, L. S., 1107
Bischoff, T. W., 1145
Bishop, A. L., 1070
Bissonnette, S. M., 956
Bjarko, M. E., 842
Black, L. L., 1082, 1133, 1134
Black, M. C., 1087
Blaker, N. S., 970
Blanchette, R. A., 1058
Blazquez, C. H., 1077, 1092, 1093
Blenis, P., 1058

Bloomberg, W. J., 1059
Bloomfield, P., 243
Blueberry
—*Botryosphaeria dothidea* on, infection court, 1133
—sheep pen hill disease of, rod particle association, 1065
Blueberry leaf mottle virus, detection in pollen and seed, 1333
Blueberry red ringspot virus, detection in sap of, 844
Blueberry shoestring virus
—antibody and dot-blot immunoassay techniques, 1074
—grafting and girdling techniques, 1074
—movement in aphid-inoculated leaves, 1074
Bluegrass (see also Turfgrass)
—Poa patch of, etiology, 1057
—root cortical death, 917
Bockus, W. W., 1122, 1125
Boerma, H. R., 1072
Bolkan, H. A., 842
Bonde, M. R., 562, 1144
Bonman, J. M., 1105
Bonn, W. G., 1140
Borromeo, E. S., 261
Bostock, R. M., 1080, 1107
Botryodiplodia theobromae, on grape, hypovirulence, 845
Botryosphaeria dothidea
—on blueberry, factors, 1081
—on pistachio, epidemiology and control, 1106
Botrytis spp., on onions: blight and girdling from, in New York, 599, (601); pathogenicity, 604, (606, 609); temperature and moisture effect, 612
—*B. cinerea*: on faba bean, antigens in cytoplasm of, detection, 622, (623-625); on strawberry, moisture and temperature effect, 1114; on strawberry, survival in dead leaves, apparatus for studying, 657
Boudreau, M. A., 1104
Bouzar, H., 1077, 1265, 1323
Bowen, K. L., 1119
Bowers, E. J., 1144
Bozarth, R. F., 1130
Bracker, C. E., 322
Brady, C. J., 42
Brammall, R. A., 1125
Braun, E. J., 959
Breman, L. L., 1076
Bremia lactucae, oospores of, production, 655
Brennan, E., 652, 659
Brenneman, T. B., 562
Bristow, P. R., 842
Britton, K. O., 1065
Brlansky, R. H., 707, 1072, 1074, 1101, 1110, 1118
Brodie, B. B., 654, 657
Brodny, U., 546
Brome mosaic virus, beetle regurgitant effect on transmission, 808
Bronson, C. R., 154, 1294
Brooks, A. D., 563
Browder, L. E., 379, 1103, 1286
Brown, G. E., 1094
Brown, H. D., 1084, 1085
Brown, J. K., 236, 842
Brown, L. G., 1072
Brown, W. M., Jr., 842, 846, 848, 1057, 1130, 1309
Bruck, R. I., 1067, 1084, 1085, 1113, 1190
Bruehl, G. W., 278, 695
Bruening, G., 1091
Bruton, B. D., 1128, 1136
Buchanan, J. R., 692
Bulger, M. A., 1080, 1114
Bullock, B., 1128
Bullock, S., 101
Burges, A. R., 1076
Burleigh, J. R., 1098
Burmeister, H. R., 1143
Burnett, P. A., 373, 377
Burpee, L. L., 650
Burr, T. J., 1070
Burra, L. R., 1063
Burroughs, R., 745
Bursaphelenchus xylophilus, on pine wood chips, population dynamics, 653
Bush, L. P., 1057
Bushnell, W. R., 1123
Butler, E. E., 1066
Butler, L. G., 1315
Butrov, D., 1070
Byther, R. S., 1124

Cabauatan, P. Q., 1075, 1132
Cabbage, black rot of
—monoclonal antibody analysis, 1078
—seed survival in Washington, 1306
Cacao (see also Cocoa)
—black pod of, factors affecting, 1116
—*Monilia* and black pod incidence, fungicides for, 376
—*Monilia roreri* on, resistance in Costa Rica, 376
Cadena, M., 377
Calcium
—cucumber damping-off affected by, 221
—in potato tuber cell walls, *Erwinia* relation, 401
—suppressive soil association, *Pythium*, 215
Calendar, Julian vs. Gregorian, 41
Calendula officinalis, Alternaria leaf spot of, 846
Calonectria crotalariae, microsclerotia, freezing effect, 1123
Calvert, L. A., 1090
Calvert, O. H., 1143
Calvez, C., 889
Cameron, H. R., 317
Campbell, C. L., 190, 557, 1063, 1064, 1106, 1129, 1190, 1254
Campbell, R. N., 844
Canfield, M. L., 1117, 1135
Capinera, J. L., 1309
Capsicum spp., virus resistance, 1120
—*C. annuum*: nematodes parasitic to, 372; potato virus Y and tobacco mosaic virus, reaction, 1126; tobamovirus resistance, in Florida, 1121; virus resistance in, multiple, 377; yield and disease control, cultural methods, 1068
Cardenas-Sorio, E., 375
Cardoso, J. E., 1115
Carey, A. C., 659
Caristi, J., 1083
Carling, D. E., 725, 1064
Carlson, E., 1078, 1079
Carlson, L., 270, 712
Caron, M., 942
Carr, K. P., 650
Carrillo R., H., 376
Carroll, T. W., 1120
Carrot
—*Sclerotium rolfsii* on, soil factors affecting, 976
—southern blight, factors affecting epidemics, 1083
Carruthers, R. I., 586
Carson, M. L., 1120
Caruso, F. L., 654, 658
Carvajal, M., 1061, 1123
Casale, W. L., 684, 980, 1144
Casano, F. J., 1101
Cashion, N. L., 846
Cassava
—RNAs of, detection and immunoblot electrophoresis, 1132
—viruses of, properties, 1075
Cassava common mosaic virus
—on chaya and cassava, serology, 373
—on *Cnidoscolus aconitifolius* strain, 632, (634, 635)
—flagellate protozoon relation, Brazil, 638, (640, 641)
Cassava latent virus, cause of mosaic in South Africa, 1109
Cassel, D. K., 679
Castillo F., D., 372
Catharanthus roseus, mycoplasmalike organisms on, detection by immunofluorescence microscopy, 864, (865-867)
Cauliflower, curd smudge of, new disease in California, 844
Cauliflower mosaic virus
—in solanaceous plants, host response, 1090
—unusual strain, properties, 451, (452)
Cavalcante, M. J. B., 1073
Cavichioli, D. M. M. M., 1140
Centeno, F., 1089
Cephalosporium gramineum, growth affected by pH, 845
Ceratocystis spp.
—*C. coerulescens*, on lumber, longevity, 653
—*C. fagacearum*, on oak, compartmentalization in South Carolina, 698, (699)
—*C. ulmi*: ceratoulmin produced by, ELISA for screening, 1086; thiabendazole effect on fine structure, 565
—*C. wageneri*, on Douglas-fir, soil temperature effect, 627
Cercospora spp.
—*C. arachidicola*: germination and germ tube elongation, temperature and moisture effect, 712; on peanut, management using fungicide spray advisory, 860; on peanut, partial resistance, management, 468; on peanut, resistance components, 495
—*C. asparagi*, on asparagus, growth and sporulation conditions, 617
—*C. zeae-maydis*, on corn, isolate variability, 129
Cercosporidium personatum, on peanut
—*Dicyma pulvinata* mycoparasite on, factors affecting, 1168
—factors, 1147
Cereal, take-all, temperature effect on, 923
Cerecer, D., 372
Cerkauskas, R. F., 1092
Cervantes, L. A., 1065, 1066
Chambers, A. Y., 1120
Chang, C. A., 1061
Chang, C. J., 1139
Chang, K.-F., 1058
Chao, W. L., 60, 327
Chappelka, A. H., 1084, 1085
Charest, P. M., 1128
Chase, A. R., 1071
Chastagner, G. A., 1124
Chellemi, D. O., 1097
Chen, T. A., 45, 564, 650, 658, 1077, 1084
Chen, W. D., 1105
Chen, Z. W., 650
Chengguo, W., 564
Chern, L. L., 1138
Cherry
—black, ozone effect on seedlings, 564
—disease survey in California orchards, 847
Cherry rasp leaf virus, properties, 1121
Chessin, M., 1062
Chevone, B. I., 1084, 1085
Chiang, M.-Y., 1111
Chichester, E., 1071
Childress, A. M., 1333
Cho, B. H., 301
Cho, J. J., 1134
Choi, C. W., 1121, 1126
Chokecherry, mycoplasmalike organisms on, detection with fluorescence microscopy, 784, (785)
Christ, B. J., 564, 651
Christie, R. G., 124
Chrysanthemum morifolium, cytopathology of foliar necrosis, detection by fluorescence microscopy, 655
Chrysomyxa weirii, on *Picea pungens*, infection percentage, 650
Chumley, F., 383
Churchill, A. C. L., 1124

Cissus rhombofolia, leaf spot and blight, cause, 1071
Citrus
—bacteriosis, host range in Mexico, 376
—blight of, amorphous plug formation, 1110
—blight and vascular occlusions in, Florida and Argentina, 707, (710)
—Botryodiplodia stem lesions, in Texas, 1082
—canker, simulated epidemic, Florida, 1118
—canker and leaf spot of, disease comparison in Mexico, 847
—copper toxic to seedlings of, mycorrhizae, 66
—diseases in San Luis Potosi, Mexico, 375
—Phytophthora root rot of, salinity role, 970
—*Phytophthora* spp. on, rootstock susceptibility, 1065
—root infection with *Fusarium*, image analysis, 1092
—virus and virus-like diseases in Jordan, 1127
Citrus ringspot virus, components of, 1072
Citrus tristeza virus
—biological evaluation of decline by isolates, 1074
—detection with cloned cDNA sequences, 820
—DNA cloning of, viral proteins, 1090
Civerolo, E. L., 549, 1078, 1101, 1118, 1137
Cladosporum fulvum, on tomato, interaction and induced resistance, 1088
Clausen, C. A., 1113
Clauzel, J. M., 1122
Clavibacter spp.
—*C. michiganense*, on tomato seeds: plating assay, 1137; seed treatment for, 842
—*C. xyli*, on sugarcane, detection in leaves, 563
Claviceps fusiformis, on pearl millet, stigmatic constriction, resistance basis, 536
Clement, D. L., 86, 842
Cleveland, G. L., 1117
Cleveland, T. E., 1145
Clover, red, *Glomus* and *Fusarium* interactions, in soil, P relation, 1111
Clover yellow vein virus, white clover yield effect, 557
Cnidoscolus aconitifolius, cassava common mosaic virus of, strain, 632, (634, 635)
Cobb, F. W., Jr., 845, 1058
Cochliobolus heterostrophus, on corn
—genetic selection and adaptation, 774
—toxic gene effect, 1294
Cocoa (see also Cacao)
—*Phytophthora* spp. on, pathology, 159
Coconut
—foliar decay disease of, single-stranded DNA association, 889, (889, 890)
—lethal yellows of, distribution and propagation, 376
Coffee
—coffee berry disease, etiology losses and control, 375
—leaf spot, control, 1140
—rust of: copper fungicides in El Salvador, 1110; resistance induced, 1140
Coffey, M. C. 194
Cohen, E., 1142
Cohen, R., 1143, 1281
Cohen, S., 1165
Cohen, S. D., 1081
Cohen, Y., 194, 855, 1081, 1082, 1116, 1165
Cole, H., Jr., 565, 659
Cole, J. S., 455, 1092
Coleman, L. W., 851
Colletotrichum spp.
—*C. coccodes*: potato susceptible to, 845; velvetleaf control, adjuvant effect, 1115
—*C. destructivum*, anamorph of *Glomerella glycines*, 282, (283, 284)
—*C. fragariae*, isolate variation, 1134
—*C. gloeosporioides*, on papaya, cutinase detection by plate assay, 473
—*C. graminicola*, on corn: *Ht* gene effect, 108; corn borer effect, 586; glycoprotein effect, 1315, (1315)
—*C. lagenarium*, on cucumber: electron microscope study, 1092; induced systemic protection, 186, 966
—*C. trifolii*, on alfalfa, histopathology, 1124
Collins, M. H., 1125
Collmer, A., 1100
Colyer, P. D., 1093
Commelinaceae, viruses in genera of, 372
Computer
—crown rust epidemic simulation, oat cultivar mixture, 590
—disease incidence estimation, 1299
—graphic simulation use for bean powdery mildew, 883
Conservation tillage (see Tillage)
Converse, R. H., 842, 843, 844
Conway, K. E., 1072, 1114, 1126
Conway, W. S., 562, 1128
Cook, R. J., 342, 1061, 1205
Cooksey, D. A., 844, 1076, 1100
Cooley, D. R., 651
Cooperman, C. J., 617
Coplin, D. L., 165, 1076, 1353
Corbett, M. K., 565
Cordell, C. E., 824
Corden, M. E., 212
Coriolus versicolor, on hemlock and sweetgum, degradation, 1128
Corn
—aflatoxin in, irrigation and tillage effect, 679
—aflatoxin in field, inoculation technique, 290
—anthracnose and European corn borer relation, 586
—*Aspergillus flavus* on grain and in soil of, 1099
—*Cochliobolus heterostrophus* on, resistance to, 774
—common rust, increase in cultivar mixtures, 895
—ear and stalk rot, fungicides for, 1106
—foliar pathogens of, *Ht* gene for resistance, 108
—fungicides for seed preservation, 375
—Fusarium ear rot, resistance components, 684
—*Fusarium* spp. in stalks of, in Minnesota, 1061
—gray leaf spot, isolate variability, 129
—head smut, teliospore survival in soil, 487
—*Helminthosporium carbonum*, selective toxin and chlorophyll synthesis, 1095
—northern leaf blight: hybrid resistance to race 2, 257, 1349; yield reduction, detasseling, 1119
—*Rhizoctonia solani* on, crown and brace root rot, crop rotation, 248
—root disease and yield decline, continuous crop, 1088
—rust of, dilatory resistance, components, 1098
—stalk rot, *Fusarium* spp., rootworm association, 1309
—Stewart's and Goss' wilt of, severity effect, 1079
—sweet, rust resistance in, seedlings, 702
—trichothecene mycotoxins, protein synthesis inhibited by, 1144
—T-toxin sensitivity, mitochondrial gene for, 1060
Cornus florida, canker, histological study, 1071
Correa, A., Jr., 1140
Correa, F. J., 1141
Correll, J. C., 396, 1068, 1111, 1145
Corsini, D. L., 1112
Corte G., E., 372
Corynebacterium spp.
—*C. flaccumfaciens*, on bean, circumnutation relation, 712
—*C. sepedonicum*: genetic variation, fragment length analysis, 1101; insertion sequence, detection and cloning, 1100
Cotton
—*Aspergillus*-ovule interaction, stress metabolites, 1125
—boll infection with *Aspergillus*, pectolytic enzymes, 1145
—Fusarium wilt of, planting date effect, 844
—nematode and *Fusarium* infection, yield response and growth mortality, 1107
—phytoalexin accumulation, elicitation in cotyledons, 1140
—*Rhizoctonia* and *Pythium* on, gene action and resistance, 1107
—seed and root colonization, osmo-sensitivity and pseudomonads, 1077
—seedling disease: *Fusarium* spp., 1093; soil relation, 286
—*Verticillium dahliae* of, sesquiterpenoids in stems, 1011, (1012)
—Verticillium wilt of, resistance and distribution, 1005
Cottonwood (see also *Populus deltoides*)
—mycorrhizal formation in, soil factors affecting, 1110
—seasonal wounds in, closure and compartmentalization, 1113
—spore sampler, with aircraft, 1086
Covey, R. P., 1140
Cowpea
—mycorrhizal fungus on, nodule activity affected by, 1110
—southern bean mosaic virus on, resistance, 795
Cowpea chlorotic mottle virus
—beetle regurgitant effect on transmission, 808
—variability in, 1072
Cowpea severe mosaic virus, beetle regurgitant effect on transmission, 808
Cowpea southern bean mosaic virus, in bean leaf beetle hemolymph, 1127
Coyne, D. P., 1136
Coziahr, L. V., 1060, 1135
Crandall, B. A., 1146
Crawford, M. A., 1094, 1106
Crestani, O. A., 951
Creswell, T. C., 1081
Crête, R., 655
Crinipellis perniciosa, on cacao, penetration and infection, 373
Crome, F. J., 1094
Cronartium spp.
—*C. quercuum*, on pine, resistance screening, 1085
—*C. ribicola*, origin, distribution, and taxonomy, 1059
Crop rotation, corn crown and brace root rot, 248
Cross protection (see also Integrated pest management)
—semi-synchronous replication in, 1091
Croton, leaf spot of, factors, 1142
Cruz, C., 1116
Cruz, J., 1110
Csinos, A. S., 1064
Cubeta, M. A., 1109
Cucumber
—*Colletotrichum* on, induced systemic protection, 186
—damping-off, calcium and organism effect, 221
—hypersensitive induced resistance in, 1137
—lignification response, immunization, 1067
—mycorrhizae, phosphorus, and pathogen relations, 654
—powdery mildew of, leaf age and fungicide timing effect, 841
—Pythium damping-off, sewage sludge and seed treatments, 563
—resistance, cycloheximide for, 1088
—systemic protection induced in, 966
Cucumber mosaic virus
—in bean, seed transmission, serology, and host-pathogen relations, 999

—on *Clitoria ternatea*, double virus infection, 1073
—on pepper: time course studies and ELISA, 652; yield losses, 652
—serotyping, SDS-immunodiffusion, 1131
—*Vinca minor* as reservoir host, 658
—in weed hosts, detection with ELISA, 658
—on wheat, 1127
Cucurbits
—bacterial wilt, beetle vector, population dynamics, 956
—viruses in New Jersey, storage condition effect on detection, 1091
Cunfer, B. M., 1127, 1139
Curl, E. A., 1104
Cyclaneusma minus, on Scots pine, control, 659
Cylindrocladium spp.
—*C. crotalariae*, on peanuts, colonization on resistant roots, 1111
—*C. scoparium*, in soil and seedlings in tree nurseries, 564

Daffodil, bulb fungi and mites, relations, 565
Dainello, F. J., 1087
Dalrymple, L. W., 1108
da Luz, W. C., 651, 1123
Damann, K. E., Jr., 1079
d'Ambrosio, R. P., 651
Damicone, J. P., 1096
Damsteegt, V. D., 759, 1062, 1075
Danko, S. J., 957
Danon, T., 1098
D'Arcy, C. J., 1062, 1270
da Rocha, A., 864
da Silva, L. G., 846
Datnoff, L. E., 1144
Daub, M. E., 1080, 1137
Daubert, S. D., 1090
Daughtrey, M., 651
Davies, M., 1069
Davis, A. E., 670
Davis, D. D., 564, 655
Davis, J. M., 1114
Davis, J. R., 563, 730, 842, 845, 1021, 1094, 1112
Davis, L. L., 562, 1145
Davis, M. J., 1136
Davis, R. E., 1083
Davis, R. F., 651, 656, 658, 999, 1065, 1073, 1091
Davis, R. M., 1082
Dawson, W. O., 1095
Day, A. W., 622, 1111
Daykin, M. E., 1232
Deahl, K. L., 562, 1122
Dean, J. L., 581, 1099
Dean, R. A., 186, 966, 1067
de Anda-R., V., 372
Deasey, M. C., 1136
de Bauer, L. I., 374, 377
DeBoer, S. H., 1138
Debrot, E. A., 1089, 1121
Decker, A. M., 563
Défago, G., 181
de Faria, J. C., 1073, 1135
Delp, B. R., 1299
Delp, C. J., 1152
de Mejia, M. V. G., 346
de Milliano, W. A. J., 372
Demler, S., 1090
Demski, J. W., 1073, 1127
Denis, S. J., 670
Denny, R. L., 712
Denny, T. P., 1138
Derie, M. L., 1117
Derks, A. F. L. N., 1132
Dernoeden, P. H., 1057
Derrick, K. S., 1072
Desjardins, P. R., 1126
DeVay, J. E., 842, 843, 1107
de Zoeten, G. A., 1090
Diabrotica virgifera, corn stalk rot association, 1309
Diaco, R., 225
Diaporthe spp., on sunflower, temperature effect, 1082
—*D. phaseolorum*: growth in culture, factors, 1115; on soybean, temperature effect, 1115; vegetative compatibility groups, 1095
Diaz P., R., 372, 373
Dickman, M. B., 473
Dicyma pulvinata
—antagonist for Cercosporidium leaf spot on peanut, 990
—mycoparasite on *Cercosporidium personatum* leaf spot of peanut, factors, 1168
Dillard, H. R., 651
Dillavou, C. L., 1143
Dinitramine, effect on Fusarium wilt, 1281
Dinoor, A., 1098, 1099, 1116, 1142
Diourte, M., 1124
Disease assessment, field sampling techniques, 1299
Disease management, eradicant fungicide, isothiazolin group, 1110
Disease progression, function of plant growth, 1171
Disease stress, yield selection, theory, 1120
Disease survey, major food crops in Somalia, East Africa, 1141
Diuraphis noxia
—on barley and wheat, chemical control, 373
—on cereals in Mexico, virus, vector, and toxin interaction, 373
—on wheat, barley, and triticale, resistance, 373
DNA, foliar decay of coconut palm diagnosed by use of, 889
Dobson, R., 1066
Dodds, J. A., 459, 845, 1063, 1072, 1091
Doe, F. J., 1142
Dogwood, canker in Tennessee, distribution, 1071
Dolan, T. E., 194
Dollet, M., 889
Dolph, P. J., 1076
Domier, L. L., 1090
Donald, P. A., 956
Doster, M. A., 1107
Douglas, S. M., 784, 1084
Douglas-fir
—*Ceratocystis wageneri* on, soil temperature effect, 627
—damping-off, amendments for, 1125
—*Fusarium oxysporum* of, *Laccaria laccata* induction, 1133
—needlecast diseases, in New Hampshire, 653
—stem canker, fungicides for, 1124
—Swiss needle cast, variation in incidence, 1114
Douglass, L. W., 1338
Doupnik, B., Jr., 1060
Dowler, W. M., 565
Doyle, J. H., 286
Drake, R. J., 1126
Drozdowski, J. L., 651
Dubos, B., 656
Duffus, J. E., 97, 1087, 1089
Dukes, P. D., 1134
Duncan, D. R., 788
Duniway, J. M., 841, 1124, 1248
Dunleavy, J. M., 1079
Dunn, M. F., 1101
Dunning, D. E. H., 1136
Durand, D. P., 225
Duthie, J., 652
Dutky, E. M., 563
Dyer, P., 1122

Eastburn, D. M., 1066
Eastman, C., 1084
Easton, G. D., 1135
Echandi, E., 1063, 1115
Eckert, J. W., 805
Edwards, G. J., 1092
Edwards, M. C., 360, 1122, 1131
Edwardson, J. R., 1061
Ehret, G. R., 1080
Einemann, L., 956
Eisensmith, S. P., 41
Elad, Y., 518
Electron microscopy
—banana streak disease, bacilliform virus association, 995, (997)
—barley stripe mosaic and poa semilatent viruses, comparisons, 322, (323)
—barley yellow dwarf virus, isolate detection with antibodies, 225, (227-229)
—barley yellow dwarf virus and beet western yellows virus, characterization, 1270, (1272)
—*Botrytis cinerea* in faba bean leaf, antisera, 622, (623-625)
—cassava common mosaic virus, flagellate protozoon association, 638, (640, 641)
—citrus, vascular occlusions, 707, (710)
—*Colletotrichum* spores, 1315
—*Enterobacter cloacae* in *Pythium* hyphae, biocontrol role, 327, (330, 332)
—*Erwinia* spp. on apple blossoms, 900, (901-903)
—*Erwinia carotovora* in stigma of apple and pear, 476, (481)
—Jatropha mosaic virus ultrastructure, 80, (81-84)
—lettuce infectious yellows virus, 97, (99)
—passion fruit yellow mosaic virus, 951, (952, 954)
—prune dwarf virus on sweet cherry pollen, 317, (318)
—*Rhizoctonia solani* in rice leaf sheaths, infection process, 811, (812, 813)
—soybean cyst nematode in host, morphology of syncytia, 913, (916)
—*Trichoderma kionngii* on pea roots, 60, (63)
—Verticillium wilt of alfalfa, leafcutter bee vector, 75, (76-78)
El-Gholl, N. E., 1059
Elgin, J. H., Jr., 1124, 1143
El-Hamalawi, Z. A., 503, 508
Elias, K. S., 1129
ELISA, plate reconditioning, 483
ELISA plate reader, construction of, 1217, (1218)
Ellingboe, A. H., 154, 1069, 1135
Elliott, C., 652
Elliott, M. S., 373, 632
Elliott, V. J., 1068
Ellis, M. A., 1080, 1082, 1114, 1141
Elliston, J., 652
Ellor, K., 656
Elm, Dutch elm disease, new origin date, 653
Elmer, W. H., 1114
Elmore, C. L., 842
El-Nashaar, H. M., 1098, 1319
El-Zik, K. M., 1107
Empoasca fabae, on potato, interaction with *Alternaria* and *Verticillium*, 1046
Endo, R. M., 1107
Endocronartium harknessii
—isozyme differences in sources of, 958
—on lodgepole pine, teliospore release and survival, 1058
Endogone pisiformis, cytochemistry, 1128
Endothia parasitica
—biocontrol with hypovirulent conidia, 1058
—cankers from, ethylene production, 1113
—hypovirulence, factors, 652
—hypovirulent strains, oxalic acid production, 562
—strains of, gel analysis of polypeptides from, 1128
Engelhard, A. W., 1070
English, H., 567
Enríquez, G., 376
Enterobacter cloacae, in *Pythium ultimum* hyphae, biocontrol role, 327, (330, 332)
Enzymes
—cutinase, detection by plate assay, 473

—polygalacturonase, in tomato fruit, 42
Epidemiology
—cultivar mixture effect: in bean rust and corn rust, 895; model, 832
—epidemic induced, theory and practice, 1088
—prediction system, on wheat, 1083
—splash dispersal process, methods for study, 1141
Epilachna varivestis, regurgitant of, plant virus transmission effect, 808
Epps, W. M., 849, 850
Epstein, L., 1128, 1142
Erickson, P. I., 500
Errampalli, D., 1084
Errata
—vol. 75, no. 9, 1985, 369
—vol. 76, no. 3, 1986, 649
Erwin, D. C., 503, 508, 1102
Erwinia spp.: pectolytic, invertebrate association, 377; polypeptide patterns, image analysis, 565; on Primula, wilt and crown rot from, 1117
—*E. amylovora*: amylovorin produced by, gel formation, cell wall polymers, 1118; on apple, tissue culture assay for virulence, 656; on apple blossoms, electron microscopy, 900, (901-903); in apple blossoms, motility and fire blight control, 441; fatty acid changes, factors, 1101; identification and detection, monoclonal antibody application, 1077; monoclonal antibodies specific to, 564
—*E. carotovora*: on apple and pear, stigma role, 476, (481); lipopolysaccharide, monoclonal antibodies, 1138; mutants of, antibiotic minus strains, 1086; mutants of, characterization, 655; pectolytic enzyme genes, expression in other bacteria, 659; on potato, early generation seed stock performance, 56; in potato, pseudomonads antagonistic to, 414, (419); on potato, tissue maceration, calcium in cell walls, 401, (402); on potato, yield and pseudomonad interaction, field, 423; on sugar beet, resistance analysis, 1077
—*E. chrysanthemi*, on chrysanthemum, cutting rottings, 1136
—*E. herbicola*: on apple blossoms, electron microscopy, 900, (901-903); ice nucleation gene characterized, 1100
—*E. stewartii*: campsular polysaccharide synthesis, regulation, 1076; plasmid DNA from, transformation of *Escherichia coli*, 1353; plasmid pDC190 from, 165
Erysiphe spp.
—*E. graminis*: on barley, resistance, sugar composition, and acid invertase activity, 365; on barley, resistance induction, 301; on bromegrass, conidial liberation, factors initiating, 1239; haustoria, mitochondrial activity, 1123; virulence genes, survey in Ontario, 656; on wheat, fitness, unnecessary genes, 154; on wheat, grain filling effect, 566; on wheat, mobile nurseries for assessment in North Carolina, 1059; on wheat, triadimenol seed treatment, 254
—*E. pisi*, on pea, conidial liberation, factors initiating, 1239
—*E. polygoni*, growth and sporulation, computer graphics simulation, 883, (887)
Eschen, D. J., 843, 1102
Escherichia coli
—cloned pectate lyase gene, potato, 1100
—transformation by *Erwinia stewartii* plasmid, 1354
Escudero, J., 80
Eshed, N., 1142
Espinoza, A. M., 1095
Essenberg, M., 1076, 1078, 1140
Ethylene, *Bipolaris sorokiniana* producing, methionine effect, 851; Fusarium wilt of melon affected by, 1281
Ettinger, T. L., 1119
Euonymous mottle virus, properties and cytopathology, 1075
Euphorbia spp., blight of, *Amphobotrys* cause, 1070
Euphorbia mosaic virus, nuclear inclusion bodies, light microscopy, 124
Eustoma russellianum, virus, new, 1126
Evans, R. C., 792
Evans, T. A., 1134
Eversmeyer, M. G., 379, 1103, 1286
Everson, D. O., 730
Evert, D. R., 1108
Exserohilum turcicum
—on corn, *Ht* gene effect, 108
—race 2, *Ht* gene resistance, 257, 1349
Eyal, H., 1082
Eyal, Z., 1061, 1098
Eyespot, on wheat, papilla formation and hypersensitivity, 737, (738, 741)
Ezzahiri, B., 1098

Fagbenle, H. H., 1139
Fahy, P. C., 1123
Falk, B. W., 124
Fardelmann, D., 66
Fatmi, M., 842, 1137
Feder, W. A., 1096, 1097
Fenwick, H. S., 843, 1102
Fernández, B., 1089
Fernandez, J. A., 843
Fernandez-Northcote, E. N., 1122
Ferrara, D. M., 652
Ferrin, D. M., 1153, 1213
Ferris, H., 1139
Ferriss, R. S., 273, 938, 1081, 1089
Fery, R. L., 1134
Fescue, endophyte of, aphid and alkaloid relation, 1057
Fett, W. F., 1101
Figwort mosaic virus, deletion mutant of, nucleotide sequence, 1131
Filer, T. H., 205
Filonow, A. B., 1101, 1139
Fir
—balsam, root and butt rot fungi, pathogenicity, 658
—Fraser, Phytophthora root rot of, simulation of spread, 1190
Fisher, G. A., 1064
Flax, rust of, new resistance factor, 1043
Fletcher, J., 1084
Florance, E. R., 843
Flores, V., 1112
Florini, D. A., 652
Flurkey, W. H., 1130
Fomes annosus, on pine and fir, allozyme relations, 1112
Fontem, D. A., 1077, 1114
Ford, R. E., 1073, 1275
Forest shrubs, new diseases of in Hawaii, 843
Förster, H., 1146
Fortin, J. A., 942, 1111, 1128, 1148
Fortlage, R. J., 335, 692
Foster, J. A., 1109
Foster, J. E., 86
Fowler, M. C., 923
Fraedrich, S. W., 698
Fragaria vesca (see also Strawberry)
—strawberry crinkle virus in, 1161, (1162)
France, R. C., 824
Francl, L. J., 1108
Frank, J. A., 254, 563, 565, 659
Franklin, K., 1090
Franssen, J. M., 1132
Fravel, D. R., 563, 643
Frederick, R. D., 165, 1076, 1353
Frederiksen, R. A., 446, 1142
Freeman, T. E., 1057
Freeman, T. P., 931
French, E. R., 1078
Frias-T., G. A., 373
Frommea spp., teliospore germination of, 1026
Fry, W. E., 407, 410, 656, 657, 1083, 1088, 1102, 1209
Fucikovsky, Z. L., 374, 377
Fuentes, A. L., 1096
Fujimoto, T. T., 883
Fulbright, D. W., 1123, 1126, 1132, 1137
Fulton, J. H., 590
Fulton, J. P., 1122
Fulton, R. H., 1110
Fulton, R. W., 1137
Fungicides (general) (see also Fungicides, specific)
—acidic rain effect on, on potato leaves, 800
—concentration effect on apple powdery mildew model, 1176
—contact and systemic, mixtures for potato late blight control, 855
—copper, toxicity to citrus seedlings and mycorrhizae, 66
—ergosterol biosynthesis-inhibiting, for apple scab, 119
—resistance, industry committee activities, 1127
Fungicides (specific) (see also Fungicides, general)
—Bitertanol, for cotton rust, 372
—chlorothalonil, irrigation water application, peanuts, 1116
—cymoxanil, for cucumber downy mildew and potato late blight, 1116
—ethyltrianol, broad-spectrum, 1117
—metalaxyl, bioassay in potato leaves, 656
—metameclan and iprodione, for *Alternaria* diseases of carrot and onion, 375
—Nustar: for apple scab, mildew, rust, 660; diseases controlled in Brazil, 846; field performance, 660
—pyrifenox, sterol inhibitor, prevention and cure, 1117
—*sec*-butylamine, *Penicillium digitatum* isolates resistant to, 805
—triadimefon, pine ectomycorrhizae affected by, 824
—triadimenol, wheat seed treatment, for powdery mildew, 254
Fusarium spp.: beetle dissemination on corn, 1309; cellulolytic strains, isolation and screening, 958; on corn ears, resistance components, 684; on cotton seedlings, soil factor, 286; on *Medicago* spp., in South Africa, toxigenicity, 1040; monosaccharide fermentation, 956; naphthoquinones from, antimicrobial activity, 1135; population density, chemical and solar treatment effect, 846; on shelled corn, in Pennsylvania and Maryland, 654; in soil and seedlings in tree nurseries, 564; on wheat, seed-borne, Canada, 652
—*F. culmorum*, chlamydospore persistence in wheat field soils, 1205
—*F. graminearum*, group 1 and 2, zearalenone and perithecial production, 1063
—*F. moniliforme*: from equine feed, toxigenicity, 1147; water potential effect, 1248
—*F. oxysporum*: on asparagus, vegetative compatible group, 1114; on celery, culture identification characters, 396; on celery, race 2, selective medium for propagule enumeration, 1202; chlamydospore germination and infection, *Alcaligenes* effect, 171; *Fusarium solani* growth response compared to, special medium, 1145; isolate identification, 956; on melon, herbicide-induced resistance, 1281; on melon, new race in Maryland, 563; on pea, race-specific variation, analysis, 1080; on tomato, genetic diversity and vegetative compatibility, 1129; on tomato, phosphorus concentration and *Glomus intraradices*, 942
—*F. solani*: in citrus rootstock, polypeptide and enzymatic characteristics, 1144; on pea, inoculum density and placement, 1325; variance of, kievitone detoxification

in, 1112
—*F. subglutinans*, homo- and heterothallic isolates, 1142
—*F. tricinctum*, enniantin production, 1143

Gabriel, C. J., 1132
Gabriel, D. W., 1076, 1099, 1118
Gabrielson, R. L., 1105, 1306
Gadoury, D. M., 112, 127, 652, 985, 1145
Gaeumannomyces spp.
—*G. cylindrosporus*, on turf, in Rhode Island, 654
—*G. graminis*: antibiosis to, bacterial DNA segment, 1135; on cereals, temperature effect, 923; on wheat, bacteria antibiotic to, mutants, 1069; on wheat, ELISA for detection, 1319; on wheat, lesion number and suppressive soil, 342; on wheat, nutrient effect on inoculum, 815, (816)
Galindo, J. J., 375, 376, 1116, 1118
Galindo-Alonso, J., 374, 375
Gallenberg, D. J., 1121, 1126
Galuska, D. A., 1138
Gálvez, G., 375
Gálvez, G. C., 1110
Gamliel, A., 1094
Ganske, D. D., 670
Garas, N. A., 1005, 1011
García-Aguirre, G., 373
Gardiner, R. B., 622, 1111
Gardner, D. E., 843
Gardner, W. S., 1121, 1126
Garibaldi, A., 1065, 1127
Garlic
—Fusarium basal rot of, 1094
—viruses of, differentiation, 655
Garnett, H. M., 1109
Garnsey, S. M., 1074, 1118, 1143
Garrabrandt, L. E., 563
Garraway, M. O., 1145, 1148
Gascho, G. J., 1088
Gates, M. M., 1069
Geballe, G. T., 659
Gegenbach, B. G., 1060
Gendloff, E. H., 684, 1094
George, R. A., 1099, 1319
Geostatistics, spatial studies application, 1097
Geotrichum candidum, water relations
—enzyme production, 562
—semipermeable membrane growth, 1145
Geranium
—*Botrytis cinerea* on, in greenhouse stock plants, 1071
—Pythium root rot of, fertility relation, 656
—virus from, characterization, 1121
Gergerich, R. C., 808, 1075, 1122
Gerik, J. S., 1089
German, T. L., 1073, 1090, 1122
Gershey, J. S., 1147
Geske, S. M., 1062
Gessler, C., 1102
Ghabrial, S. A., 1081, 1090
Ghaffar, A., 1134, 1145
Gholson, R. K., 1140
Gibberella fujikuroi, chlorate-resistant mutants of, 1142
Giblin, D. E., 917
Gibson, P. B., 390
Gigaspora margarita, auxillary cells of, characterization, 1111
Gilbert, R. G., 1108
Gilbertson, R. L., 841, 1078, 1079, 1124, 1309
Gilchrist, D. G., 1125
Gilchrist S., L., 373
Gildow, F. E., 563
Gill, B. S., 1075
Gillaspie, A. G., Jr., 563, 566, 1079
Gilly, S. P., 1059
Ginseng, Phytophthora root rot, spatial pattern in Wisconsin, 1083
Gintis, B. O., 1072
Giorda, L. M., 1072
Gitaitis, R. D., 1070, 1139
Gleason, M. L., 1081
Gleditsia triacanthos, Thyronectria canker of, temperature and wound age effect, 313
Gliocladium spp., protoplasts of, formation and regeneration, 1141
—*G. virens*, gliotoxin methylation by, 1103
Globodera rostochiensis, on potato, cultivar effect on egg viability, 654
Gloeocercospora sorghi, on sorghum, pathogenic to root tissue, 1082
Glomus spp.
—*G. deserticola*, mycoparasite effect on, 351
—*G. macrocarpum*, tobacco stunt disease caused by, 688
Gobbi, E., 1128
Goheen, A. C., 373
Gold, H. J., 1190
Goldstein, D. E., 842
González, L. C., 376
Goodell, B. S., 652
Goodell, J. J., 652
Goodman, R. M., 1091
Goodman, R. N., 1070, 1117, 1118
Goodwin, P., 843
Goodwin, S. B., 843, 1102
Gorbet, D. W., 1081
Gordon, T. R., 1098, 1111
Goth, R. W., 563, 566
Gottwald, T. R., 1118, 1239
Gough, F. J., 1103
Goultry, L. G., 650
Graham, E., 1071
Graham, J. H., 66, 707, 1093, 1110
Grantham, G. L., 1095
Grape
—*Agrobacterium tumefaciens*, biovar 3 spread, tumors, 1118
—*Aspergillus* in raisins from, solar heating for suppression, 335
—Botryosphaeria canker, 1112
—*Botrytis* of, wind and moisture effect on sporulation, 1114
—Botrytis bunch rot of, control through management, 1064
—crown gall: indexing cuttings in, method, 1070; varietal differences, basis, 1117
—*Ganoderma lucidum* on, infection and colonization, 841
—gray mold of, biological and integrated control, 1065
—Pierce's disease of: fastidious bacterial strains, monoclonal antibodies, 658; morphological changes in host tissue, 1232, (1233-1237); water status, 843
—virus detection by electron microscopy, 565
Grapevine fanleaf virus, isolation and purification, 373
Grau, C. R., 554, 1146
Graves, C. H., 1065, 1066
Graves, M. W., 205
Gray, F. A., 843, 1139, 1141
Gray, S. M., 243, 1062, 1254
Greathead, A. S., 1094
Green, F., III, 1113
Green, R. J., Jr., 37
Greenhouse, operation, fungi controlled, low pressure use, 1141
Gregory, G., 652
Gregory, L. V., 546
Gremmeniella abietina, temperature and snow cover effect, 1059
Griffin, D. H., 1289
Griffin, G. D., 843
Griffin, G. J., 566, 1111
Griffiths, H. M., 1130
Grinberger, M., 1116
Grisham, M. P., 1109
Grogan, R. G., 846, 1097, 1102
Gross, D. C., 414, 423, 1078
Gross, K. C., 573, 1112, 1128
Groth, D. E., 959, 1060
Grothaus, G. D., 1057
Grove, G. G., 844
Growth retardants, on turfgrass, effect of pathogens, 657
Grybauskas, A. P., 563
Gualco, A., 1127
Gubler, W. D., 847, 1064
Gudauskas, R. T., 1060
Guevara L., J., 374
Guillaume, F. M., 270
Gullino, M. L., 1065, 1127
Gulya, T. J., 1141
Gumpf, D. J., 847
Gunasinghe, U. B., 1073
Gunnell, P. S., 1147
Gupta, A. K., 881
Gurian-Sherman, D., 1100
Gutterson, N., 1077
Gwinn, K. D., 1080
Gypsophila paniculata, *Pseudomonas andropagonis* on, leaf spot from, 1070

Hackett, W. P., 1119
Hadden, C. H., 1082
Hadidi, A., 1131
Hadley, B. A., 670
Hafez, S. L., 842
Hagan, A. K., 1060
Hagedorn, D. J., 1067, 1078, 1079, 1080, 1134
Halbert, C. R., 563
Halik, S., 653
Hall, D. H., 1094
Hall, R., 652
Hall, V. N., 844
Halliwell, R. S., 1089
Halloin, J. M., 38
Hamilton, R. I., 1073
Hamm, P. B., 1080
Hammar, S. A., 1123
Hammell, R. L., 655
Hammerschmidt, R., 1088, 1137
Hammond, J., 1091, 1132
Hampton, R. O., 999
Hancock, J. G., 1103, 1221
Handley, M. K., 1131
Hannan, R. M., 355
Hanneman, R., 1137
Hansen, E. M., 627, 1080
Harman, G. E., 60, 327, 659, 1104, 1109
Harrington, T. C., 653, 658
Harris, K. F., 1090
Harrison, B. D., 1075
Harrison, N. A., 1136
Hart, J. H., 1058
Hart, L. P., 684, 980, 1144
Hartman, G. L., 282, 1106
Hartman, J. R., 1106
Hartung, J. S., 1137
Harvey, T. L., 1076
Hattingh, M. J., 900
Haufler, K. Z., 1132
Haugen, L. M., 1133
Hausbeck, M. K., 1071
Havens, W. M., 1090
Havey, M. J., 1092
Hawksworth, F., 1113
Haygood, R. A., 1066
Hazen, B. E., 1141
Heagle, A. S., 51, 1097
Heather, W. A., 266
Heaton, L. A., 322
Hebard, F. V., 1113
Heck, W. W., 51
Hedin, P. A., 205, 1065
Hedley, L. E., 1077, 1093
Heggestad, H. E., 1338
Heick, J. A., 459
Heimann, M. F., 958
Heiny, D. K., 1125
Heitefuss, R., 365
Helgeson, J. P., 1137
Helianthus tuberosus, diseases in Quebec, 654
Hellmann, G. M., 1090
Helminthosporium spp.
—*H. carbonum*: on corn, *Ht* gene effect, 108; host-selective toxin from, DNA

modification, 957
—*H. maydis*, on corn, toxin insensitivity, mutation, 1060
—*H. oryzae*, on rice, host-specific toxin produced by, 261, (262)
—*H. sacchari*, selective toxin from, aglycone, 1095
—*H. victoriae*, virus of, double-stranded RNA transcription, 1090
Hemileia vastatrix, infection structure polysaccharide composition, lectin use, 1140
Henderson, C. T., 1143
Hendrix, F. F., 1065, 1133
Hendrix, J. W., 688
Henequen
—disease incidence in Yucatan, 373
—pole wilt of, fungicides for, 372
Henry, C. E., 1128
Henson, R. D., 1092
Hepp, R. F., 844
Hepperly, P. R., 373, 1119
Herbert, S. J., 1096
Herbicides
—Fusarium wilt resistance affected by, in melon, 1281
—*Sclerotinia sclerotiorum* germination and apothecium development affected by, 980, (981-983)
Hering, T. F., 1061
Hernández, M. E., 375
Hernández T., T., 377
Herr, L. J., 1103
Hertsgaard, D. M., 1120
Hesperis matronalis, cucumber, ribgrass, and turnip mosaic viruses on, 1073
Hessburg, P. F., 627
Heterodera glycines, on soybean, syncytial morphology, 913, (914-916)
Hevea brasiliensis, brown panel canker, in Indonesia, 1124
Hewings, A. D., 759, 1062, 1075, 1102, 1270
Hibino, H., 1075, 1132
Hickey, K. D., 1171, 1176
Hiebert, E., 124, 346, 1061, 1090
Higgins, V. J., 1088, 1125
Highley, T. L., 1113, 1128
Hill, J. H., 225
Hill, R. R., Jr., 657
Himelick, E. B., 788
Hindahl, D. F., 562
Hiratsuka, Y., 1059
Hiremath, S., 1091
Hiruki, C., 864, 1061, 1121
Ho, W. C., 1138
Hoang, I. S., 1146
Hobbs, H. A., 795, 1126
Hobbs, T. W., 1119
Hoch, H. C., 60, 1128, 1137, 1142
Hodges, C. F., 851
Hoes, J. A., 1043
Hoitink, H. A. J., 1105, 1123
Holcomb, G. E., 1070, 1082
Holley, R. C., 71, 1120
Holmes, F. W., 39, 653
Holmwood, G., 1117
Holub, E. B., 1146
Horseradish latent virus, new caulimovirus, 749, (751)
Horst, R. K., 655, 1062
Hosford, R. M., Jr., 931
Houston, D. R., 653
Howie, W., 1069, 1077
Hoy, J. W., 1089
Hruschka, W. R., 565
Hsu, H. T., 1132
Hu, J. S., 653, 1062
Huang, H. C., 75
Huang, J.-S., 1137, 1139
Huang, P.-Y., 1232
Huang, Y., 1137
Hubbes, M., 1112
Huber, D. M., 1093, 1098, 1104
Hudler, G. W., 653
Huftalen, C. S., 653
Huisman, O. C., 1064
Humaydan, H. S., 1109
Hunger, R. M., 956, 1127
Hunst, P. L., 674
Hunter, B. B., 564
Hunter, B. G., 322
Huot, C. M., 1138
Hurtt, S. S., 564, 1121, 1122
Husain, A., 1109
Hussein, A. M., 335
Hussey, R. S., 1108
Hutchison, D., 1143
Hvang, F., 1142
Hwang, B. K., 365
Hyassat, A. A., 1126
Hyer, A. H., 844
Hyman, B. C., 1139
Hypersensitivity, bacterial induction, lipid relations, 104
Hypoxylon mammatum, on aspen
—resistance, estimate, 1289
—treehopper wound effect, 957

Ichida, J., 652
Iglesias-Olivas, J., 1068
Impson, L. K., 1139
Inaba, T., 1081
Inglis, D. A., 1205
Inskeep, P. M., 1101
Integrated pest management
—program for dairy farm, 1088
—tomato curly top virus, resistance, 540
Ireland, K., 653
Ireland, K. F., 956
Isariopsis griseola, on bean, pathogenic variation, 1141
Ishimaru, C., 1136
Isleib, T. G., 684, 1120
Israel, H. W., 655
Iuli, R. J., 656

Jabaji-Hare, S. H., 1111, 1128
Jackson, A. O., 322
Jackson, L. F., 1146
Jackson, N., 654, 657
Jacobi, J., 1058
Jacobi, W. R., 1113
Jacobs, D. L., 278, 695
Jacobsen, B. J., 956
Jacobson, J. S, 659, 800, 1097
Jacome, L. H., 1108
Jacquemond, M., 1122
James, C., 654
Jamieson, A. A., 1078
Janisiewicz, W. J., 1133
Jardine, D. J., 957
Jarlfors, U., 1092
Jarstfer, A., 1111
Jatropha mosaic virus, ultrastructural studies, whitefly transmission, 80, (81-84)
Juárez, J., 1092, 1116
Javed, Z. U., 1110
Jeffers, D. P., 844
Jeffers, S. N., 1105
Jeger, M. J., 446, 1107, 1124, 1142
Jenkins, C. L., 1076
Jenkins, S. F., 617, 755, 1083
Jensen, S. G., 528, 1131
Jeschke, N., 654
Jewell, E. L., 564
Jiang, Y. P., 1084
Jilka, J. M., 1073
Jiménez, F., 373
Jiménez, J. M., 1118
Jiménez A., L. G., 1089
Jiménez G., E., 374
Jiménez-León, M., 374
Jodon, M. H., 654, 658
Johnson, A. W., 1088
Johnson, C. S., 468, 495, 860
Johnson, D. A., 208
Johnson, D. R., 1147
Johnson, G. A., 1067
Johnson, K. B., 1046, 1067
Johnson, L. F., 286
Johnson, M. C., 1057
Johnson, W. S., 841
Johnsongrass, leaf spot, *Bipolaris* cause, 1111
Johnston, S. A., 563
Jones, A. L., 1066, 1080
Jones, B. L., 1088, 1102
Jones, J. B., 240, 430, 1070, 1087
Jones, J. P., 430
Jones, K. J., 1124
Jones, R. W., 1103
Jones, S. V., 843, 1102
Jones, W. B., 1122
Jordan, C. M., 1107
Jordan, R. L., 1083, 1091, 1121, 1132
Joye, C. F., 1101
Juárez, J., 1116
Juhnke, M. E., 1070
Julia, J. F., 889
Juniper, *Cercospora* resistance, 1113

Kado, C. I., 846
Kaiser, W. J., 355
Kaniewski, W. K., 844, 847
Kantzes, J. E., 563
Kantzes, J. G., 563
Kao, C. W., 215, 221
Kao, J., 844, 1136
Kao, L. B., 1120
Kaplan, J. D., 654, 1082
Kararah, M. A., 562
Karasevicz, D., 564, 654
Karr, D. A., 1075
Kartaatmadja, S., 1062
Kashman, Y., 1081
Kaspers, H., 1117
Katan, J., 1094, 1281
Kawamoto, S. O., 655
Kawata, E. E., 1131
Kaye, L. M., 650
Keane, K. D., 654
Kebler, K. M., 1064
Keeling, B. L., 1115
Keen, N. T., 1099, 1100
Keinath, A. P., 576
Kellam, M. K., 159
Keller, N. P., 586
Kelley, R. D., 317
Kelley, W. D., 1085
Kelman, A., 401, 1077, 1101, 1138
Kempter, B. A., 1078
Kenaschuk, E. O., 1043
Kendall, T. L., 957
Kenerley, C. M., 1141
Kennedy, B. W., 270, 712, 1074, 1118
Kennedy, G. G., 1254, 1276
Kennell, J. C., 1060
Kenworthy, W. J., 566
Keppler, L. D., 104
Kern, H., 181
Kessler, K., 1058
Ketring, D. L., 500
Ketterer, N., 1104
Khan, V. A., 1068
Khudair, M. M., 1126
Kim, K. S., 80, 124, 913, 1075
Kim, S.-D., 957
Kim, S. H., 1079
Kim, Y. H., 913
Kimbell, K., 844
King, S. B., 290
Kingsland, G. C, 1097, 1099
Kinkel, L., 1115
Kinscherf, T. G., 1146
Kitajima, E. W., 638, 951
Klittich, C. J. R., 1142, 1294
Klomparens, K., 1074
Klopmeyer, M. J., 1077, 1138
Knoche, H. W., 957
Knoche, K. K., 1137
Knorr, D. A., 1095
Knott, D. R., 1149
Knous, T. R., 841, 844
Knox-Davies, P. S., 1040
Ko, N.-J., 124

Ko, W. H., 215, 221, 1138, 1142, 1159
Kobayashi, D. Y., 1099
Koike, H., 1109
Kokko, E. G., 75
Kolmer, J. A., 774
Kolp, B. J., 1141
Kommedahl, T., 487, 1061
Konai, M., 1083
Koogle, D. L., 565
Koons, K. C., 1121
Kopeliovitch, E., 42
Korf, R. P., 656
Kostka, S. J., 1079
Koukkari, W. L., 270, 712
Kraft, J. M., 1087, 1325, 1330
Krenzer, E. G., 1103
Kropp, B. R., 1148
Krupinsky, J. M., 1061
Kuan, T.-L., 1109
Kuĉ, J., 186, 455, 938, 966, 1067, 1092, 1106, 1116
Kucharek, T. A., 1081
Kuhn, C. W., 795, 1072, 1126, 1132
Kunwar, I. K., 532, 543
Kurdyla, T. M., 1114
Kurtz, E., 1094
Kuti, J. O., 564, 1112
Kvien, C. S., 1064
Kwok, O. C. H., 1123

Laberge, C., 654
Laccaria bicolor, symbiotic ability of, incompatibility system, 1148
Laccetti, L., 1137, 1142
Lacy, M. L., 956
Laemmlen, F. F., 844
Laguette-R., H. D., 374
Laird, D. W., 1065
Lalancette, N., 1082, 1171, 1176
Lamka, G. L., 957
LaMondia, J. A., 654
Landschoot, P. J., 654
Lane, L. C., 1121, 1130
Langenberg, W. G., 339
Langham, M. A. C., 1132
Larez, C. R., 931
Larkins, B. A., 1131
Larsen, H. J., 1128, 1139
Larsen, R. C., 97, 1075
Lartey, R., 1104
Lastra, R., 124, 1121, 1182
Latin, R. X., 1067, 1068
Latorre, B. A., 1106, 1112
Latterell, F. M., 231, 564, 674, 1093
Laurence, J. A., 514, 658, 1067
Lawson, E. W., 900
Lawson, R. H., 1132
Lawson, T. T., 1058
Lawton, M. B., 650
Lazarowitz, S., 1063
Lazo, G. R., 1076
Leach, C. M., 1239
Leach, J. E., 1125, 1140
Leahy, R. M., 1071
Leath, K. T., 522, 653, 657
Leath, S., 108, 257, 1059, 1349
Leben, C., 1086
Lecoq, H., 1063, 1122, 1131
Lee, E. H., 1338
Lee, L. S., 1144
Lee, R. F., 820, 1072, 1090, 1101
Lee, T. S., 1098
Leggett, M. E., 465
Lei, J. D., 650, 1031, 1034
Leiner, R. H., 725, 1064
Leite, R. P., Jr., 1069
Lennon, A. M., 1075
Lens culinaris, *Ascochyta lentis* on, seedborne, 355, (356)
Lentinus edodes, viral disease of, in USA, 1122
Leon, P., 1095, 1096
Leonard, K. J., 590, 774, 832, 895, 1111
Leong, S. A., 1080, 1146
Leptosphaerulina briosiana, on alfalfa, spatial pattern analysis, 190
Leslie, J. F., 646, 1142, 1145
Lesser, V. M., 51
Lester, G. E., 1136
Letter to the Editor
—genetic nomenclature of pathogenic fungi, 383
—Julian Day discussion, 41
—parasite:host specificity and resistance, 379
—parasite:host specificity and resistance, response, 382
—volumetric spore trap comparison, 127
Lettuce
—corky root rot of: host-specific toxin, 844; toxin, resistance to, 1136
—tipburn, tolerance determination, 1097
—whitefly-borne viruses of, in Arizona, 236
Lettuce infectious yellows virus, whitefly transmitted, new type, 97, (99)
Leucostoma spp., on peach, comparative anatomy and host response, 905, (908, 909, 911)
—*L. cincta*: on peach, 1123; on peach, virus-like particle association, 1126
Leung, H., 778
Leveillula taurica, on tomato, planting date and triadimefon effect, 1068
Levine, R., 655
Levy, E., 1061
Lewis, R. L., Jr., 652, 1114, 1115
Li, X., 1102
Liao, C. H., 655, 1070
Liddle, J. M., 815
Lifshitz, R., 720
Lillehoj, E. B., 1144
Lima bean golden mosaic virus, nuclear inclusion bodies, light microscopy, 124
Lima, J. A. A., 1073
Lin, C. P., 45, 564, 1077
Lin, D., 1112
Lin, M. T., 951
Linderman, R. G., 1118, 1125
Lindow, S. E., 1068, 1069, 1100, 1118, 1136
Lindsey, D. L., 1068
Line, R. F., 93, 435, 842
Lisker, N., 1281
Lister, R. M., 86, 225, 1131, 1132
Littrell, R. H., 1064, 1116
Liu, H.-Y., 97, 1087
Liu, X., 655
Liu, Z., 1123
Livingston, R. S., 1077, 1101, 1138
Locke, J. C., 1129
Lockhart, B. E. L., 995
Lockwood, J. L., 20, 1120
Locy, R. D., 1122, 1130
Lodge, D. J., 1110
Logan, C., 1078
Lolas, M. A., 1106
Lommel, S. A., 957, 1075, 1090
Long, D. L., 1147
Long, R., 564, 655
Long-Davidson, B., 528
Loopstra, E. M., 1081
LoParco, D. P., 655
Loper, J. E., 386, 1069
Lopes, C. A., 1068
López C., J. A., 374
López P., J., 372
Lorbeer, J. W., 599, 604, 612, 655, 658, 1202
Loria, R., 1078
Loschke, D. C., 240
Lot, H., 1131
Louie, R., 769, 1075
Lowe, S. K., 847
Luczka, C. J., 1097
Lukezic, F. L., 655, 1134
Luley, C. J., 1059
Lumsden, R. D., 563
Lutz, A., 1093
Lyda, S. D., 38, 1089

MacDonald, J. D., 970, 1071
MacFall, J. S., 1110
MacGown, M. W., 205
Machado, C. C., 532
MacHardy, W. E., 112, 127, 652, 654, 658, 985, 1082, 1107
Mack, T., 376
MacKenzie, D. J., 491
Mackey, B. E., 1077
Macksel, M., 651
MacNab, A. A., 655
MacNeill, B. H., 656
MacNish, G. C., 815
Macrophomina phaseolina
—beans resistant to, 1087
—chlorate resistance in, 646
—on corn, root growth effect, factors, 1129
—ELISA for detection, fluorescent antibody technique, 1093
—isolate virulence, screening procedure, 1064
—isolates resistant to chlorate, nitrogen catabolism, 1145
—microsclerotia: location and environment effect, 1088; statistical models for prediction, 1088
—*Rhizobium* effect, 1134
—sclerotia, inactivation of, time-temperature relation, 1145
—seed transmission and seed treatments, 1064
—on soybean, seed histopathology and seedling infection, 532, (533, 534)
—spatial pattern dynamics, 1129
—spatial pattern of: sclerotia, 1142; tillage effect, 1064
—water stress effect, 1124
Maczuga, S. A., 564
Madalageri, B. B., 563
Madden, L. V., 1080, 1082, 1108, 1114, 1141
Maffei, H. M., 1113
Magnaporthe grisea, on rice, differentiation, variation, and genetics, 778
Mahannah, C. N., 844
Maher, E. A., 1101
Mahrer, I., 1094
Main, C. E., 1114, 1119
Maize (see Corn)
Maize chlorotic dwarf virus, resistance inheritance, mode, 1095
Maize chlorotic mottle virus, tissue distribution, 1121
Maize dwarf mosaic virus
—corn resistant to, genotype and inoculation effect, 769
—detection with immunofluorescent staining of enzyme treated leaves, 1031, (1032)
—resistance gene number and disease incidence, 1096
—resistance mechanisms in corn, 1034
—in sorghum: insecticide treatment, 1076; strains A and B, 1126
—strain A: on sorghum, planting date relation, 1097; on sudangrass, growth response, 1107
—strain identification by dot immunobinding, 1132
—sugarcane mosaic virus strains related to, serology, 1131
Maize rayado fino virus, RNA of, translation, 1095
Maize white line mosaic virus, root inoculum effect, 1075
Majerczak, D. R., 1076
Maldonado S., G., 372
Malvaceous chlorosis virus, nuclear inclusion bodies, light microscopy, 124
Manandhar, J. B., 282, 543
Mango, postharvest decay control, chemicals and radiation, 1066
Manihot esculenta (see Cassava)
Manion, P. D., 1289
Manning, W. J., 651, 654, 1096
Mantle, P. G., 536
Manulis, S., 1081
Manuscript preparation, author's guide, 4
Maple
—crown density and girdling root syndrome

correlation, 651
—red, ion profile of wounds, 132, (133)
—tar spot, occurrence in New York, 653
Marani, A., 1099
Marani, D., 1098
Marco, S., 1344
Marinho, V. L. A., 951
Marois, J. J., 643, 841, 847, 1064, 1071, 1114, 1299
Marosy, M., 1059
Marroquín A., L. M., 374
Martin, C., 1116
Martin, E. M., 80
Martin, F. N., 1089, 1221
Martin, M. W., 540
Martin, S. B., 1141
Martínez-Flores, R., 373
Martínez-Soriano, J. P., 374, 375
Martyn, R. D., 1107
Marx, D. H., 824
Mason, T. L., 1086
Masuck, T. M., 659
Matejka, J. C., 1065, 1066
Matheron, M. E., 845, 1065, 1066
Mathews, D. M., 845
Mathre, D. E., 1070
Matric potential, in soil, gas quality relation, cell to control, 1018
Matsubara, D., 1069
Matsumoto, T. T., 1146
Matsuura, K., 811
Matthysse, A. G., 1136
Matyac, C. A., 487, 067, 1083, 1127
Mau, R., 1134
Maxwell, D. P., 1078, 1079, 1146
May, B., 654, 658
Mayhew, D. E., 1126
Mazzola, M., 650, 655
McAfee, B. J., 1148
McBeath, J. H., 1099, 1142, 1146
McCain, A. H., 1111
McCarter, S. M., 1070, 1117
McClain, E., 1098
McCool, P. M., 1096
McCormick, S. P., 1125, 1144, 1145
McCracken, F. I., 1086
McDonald, H. J., 1245
McGawley, E. C., 1147
McGee, D. C., 957
McGovern, R. J., 655
McGruer, G. A., 1096
McGuire, R. G., 401
McInnes, T. B., 1070
McKeen, C. D., 136
McKeen, W. E., 622, 1111
McLaughlin, M. R., 1132
McLaughlin, R. J., 1118
McLaughlin, S., 1124
McMurray, D. N., 1063
McNabb, H. S., Jr., 1059
McNally, K., 1076
McNaughton, M. E., 1138
McQueen, D. A. R., 957
Meadows, M. E., 1076
Media, general purpose, V-9 agar, 1143
Medicago spp., *Fusarium* spp. of, seedborne, toxigenicity in South Africa, 1040
Megachile rotundata, Verticillium wilt vector in alfalfa, 75, (76)
Mehdizadegan, F., 1103
Melampsora spp., teliospore germination of, 1026
—*M. lini*, on flax, new resistance factor, 1043
—*M. medusae*: on *Populus*, races, 1085; virulence and aggressiveness traits, relation, 266
Melching, J. S., 565
Melero, J. M., 842
Mellon, J. E., 1125
Meloidogyne incognita
—control of, ammonification, 377
—larvae of, bacteria antagonistic to, 378
—on peach, nematicides for, 1108
Melon (see also Muskmelon)
—Fusarium wilt resistance induced, 1281
—whitefly-borne viruses of, in Arizona, 236
Melouk, H. A., 500, 1115
Mendgen, K., 1123
Menge, J. A., 351, 1093
Menzies, J. G., 656
Meredith, C. P., 843
Merrill, W., 564, 654, 659
Methionine, ethylene and aminocyclopropane-carboxylic acid production affected by, in *Bipolaris sorokiniana*, 851
Mew, T. W., 261, 1103, 1117, 1260
Micales, J. A., 1113
Michailides, T., 1066
Michailides, T. J., 845, 1106
Mignucci, J. S., 375
Mihail, J. D., 1138, 1142
Mihuta-Grimm, L., 306
Miles, M. R., 1060
Milgroom, M. G., 656, 1088
Milholland, R. D., 1081, 1232
Milich, C. A., 844
Millar, R. L., 576
Miller, F. R., 1107
Miller, J. B., 1113
Miller, J. R., 956
Miller, M., 1122
Miller, M. E., 375, 1067
Miller, S. A., 1057
Miller, S. G., 653
Miller, W. W., 844
Milus, E. A., 93, 435
Minsavage, G. V., 1078
Mirocha, C. J., 1061, 1063
Mitcheli, D. J., 1153, 1213
Mitchell, J. E., 1116
Mitchell, J. K., 990, 1168
Mitchell, W. C., 1134
Mittal, R. K., 1113
Mitten, D. H., 844, 1136
Mizuki, M. K., 651, 1073, 1091
Mock, R. G., 566
Models
—apple powdery mildew, plant growth, inoculum, and fungicide concentration, 1176
—disease progression as function of plant growth, 1171
—distance-class, two-dimensional, virus-infected plant distribution lattices, 243
—EPIMUL, mechanisms in multilines, 1146
—EPIMUL modification, disease in cultivar mixtures, 832
—life cycle parameters, iterative procedure, 1139
—long-range transport, trajectory, 1114
—microcomputer-based, for foliar diseases of soybean, 1106
—oat crown rust, cultivar mixtures, EPIMUL, 590
—*Phytophthora cinnamomi* in Fraser fir nursery beds, 1190
—yield loss assessment, disease and wheat growth model coupling, 1146
Modjo, H. S., 688
Mogen, B. D., 1100, 1101
Mohamed, M. A., 1141
Mohan, S. K., 845, 1112
Moline, H. E., 562, 565, 573, 1112, 1135
Momol, M. T., 1124
Monilia spp.
—*M. laxa*, sterol-inhibiting fungicides for, 1106
—*M. roreri*, on cacao, cultivar reaction, 375
Monilinia spp., in apricot and prune orchards, benomyl resistance, 845
—*M. fructicola*: *Bacillus* antagonistic to, substance characterization, 136; fatty acid composition, penconazole effect, 566; on peaches, postharvest, *Bacillus* effect, 1141; on sour cherry, blossom infection environment, 1065
Monis, J., 808
Monoclonal antibodies
—assessment for affinity chromatography, 491, (494)
—clover yellow vein and bean yellow mosaic viruses detected, 1132
—pectic lyases in, production and characterization, 1138
—soft rot differentiated by, 1077
—take-all of wheat, detection, 1319
—western blots, pectate lyase recognition, 1101
Monreal, C., 375
Montasser, M. S., 656
Montgomery, M., 1071
Moody, E. H., 1117
Moore, L. D., 1066
Moore, L. W., 1077, 1099, 1105, 1117, 1135, 1265, 1319, 1323
Moorman, G. W., 656
Mora, B., 375
Mora, J., 375
Moraes, W. B. C., 1140
Morales, A., 375
Moreno-M., E., 375, 376
Morris, T. J., 1074
Mort, A., 1140
Morton, H. L., 1114
Morton, J. B., 1111
Motta, J. J., 1081
Mount, M. S., 659
Moyer, J. W., 243, 557, 1062, 1109, 1126, 1133, 1254, 1276
Mu, L., 1091
Mucor piriformis
—germinability, temperature and humidity effect, 562
—in pear orchard soil, population dynamics, 1066
Mullen, J. B., 1080, 1134
Mullin, R. H., 1074
Mundo, M., 375
Mundt, C. C., 590, 832, 895
Muñoz C., D., 376
Murdoch, C. W., 656
Murmanis, L., 1128
Murphy, J. F., 1062
Murphy, J. P., 1059
Murray, T. D., 737, 845
Muskmelon (see also Melon)
—Alternaria leaf blight of, ozone effect, 1067
—*Diaporthe melonis* on, calcium relation, 1128
—*Erwinia ananas* on, in Texas, 1136
—Fusarium wilt, quantitative resistance, 1068
—powdery mildew of, resistance to race 2, 1165
—watermelon mosaic virus 2 on, 1276
Musselman, R. C., 1096
Mycoplasmalike organisms
—aster yellows: antibody detection, 45, (47-49); natural occurrence in vegetables in Oklahoma, 1084
—on *Catharanthus roseus*, detection with immunofluorescence microscopy, 864, (865-867)
—detection in peach and chokecherry, fluorescence microscopy, 784, (785)
—lettuce and aster yellows, purification, 1084
—on vegetable crops, virescence agent and gibberellic acid relations, 847
Mycorrhizae
—chitin-decomposing microorganisms associated with, 1110
—copper toxicity to, in citrus seedlings, 66
—*Glomus macrocarpum* as cause of tobacco stunt, 688
—mycoparasite effect on, in onion, 351
—vesicular-arbuscular, on bean roots, aluminum effect, 1063
Mycosphaerella spp.
—*M. graminicola*, isolate mixture effect on wheat seedlings, 1061
—*M. juglandis*, on black walnut, ecological control, 1058

—*M. pinodes*, on pea, cultivar resistance of seedlings, 878
—*M. populorum*, ascospore production, seasonal estimates, 1059
Mycotoxins (see also Toxin)
—aflatoxin: averufanin, precursor to aflatoxin, 1144; corn kernels and cottonseed, water effect, 1144; irrigation and tillage effect on contamination in corn, 679; in pistachio, splitting and tattering relation, 692
—cerato-ulmin, effect on cell membrane and ion loss from cells, 1113
—zearalenone, decomposition in tortillas from corn, 1061
Myers, D. F., 1117
Myint, H., 1089
Myndus taffini, on coconut palm, foliar decay from, 889, (889, 890)
Myriosclerotinia borealis, on bluegrass, control in Rocky Mountains, 1057
Myrothecium roridum
—on melon, fungicides for, 564
—spore germination, cell wall monosaccharide effect, 1112
Myzus ornatus, strawberry crinkle virus vector, consecutive serial passage, 1161

Nagar, R. S. M., 1109
Nagle, M. E., 1135
Nakajima, H., 1095
Nakhla, M. K., 1062
Naot, O., 1094
Nash, G. T., 327
Nashaar, H. E. L., 1104
Navarro-F., M., 377
Nectria spp.
—*N. fuckeliana*: on fir, first report in California, 846; on white fir, resistance mechanisms, 1059
—*N. galligena*, Florida isolates, characterization, 1059
Neill, J., 1122
Nelson, B. D., 71, 1120
Nelson, D. L., 946
Nelson, E. B., 60, 327, 1129
Nelson, J., 1071
Nelson, K., 656
Nelson, L. A., 1083
Nelson, M. R., 236, 374, 842, 1138
Nelson, P. E., 654
Nelson, R. R., 546
Nematodes
—host range, Mexico, 378
—mitochondrial DNA, molecular diagnostics, 1139
—soil, fruit-producing in Colorado, 1139
Nemec, S., 1092, 1135, 1144
Nesmith, W. C., 938, 1092, 1116
Neurospora spp., protoplasts sensitive to cercosporin, cell wall regeneration, 1080
Nezryetti, 1124
Ng, T. J., 564, 1112
Nguyen, T. K., 1072
Nicholson, R. L., 1315
Nigh, E. A., 842, 1139
Noegel, K., 1117
Nolt, B. L., 1132
Nordin, J. H., 1086
Nordquist, P. T., 957
Norelli, J. L., 656
Norman, B. L., 1122
Norton, J. M., 327
Novacky, A., 104
Nus, A., 1130
Nutter, F. W., Jr., 1088

Oak
—basal area increment, in Pennsylvania stands, 655
—gypsy moth, ambrosia beetle, and stain and decay relations, 654
—red, deterioration fungi succession, gypsy moth defoliation, 564
—seasonal occurrence of wilt, nitidulid relation, 1114
—turkey, oak wilt of, compartmentalization, 698, (699)
—wilt, compartmentalization response, 1133
—wilt control with benzimidazole, persistence, 1115
Oak, S. W., 1058
Oats
—crown rust epidemics, computerized simulation, 590
—HV toxin effect on protoplast, 1094
—leaf spot of, resistance characterization, 931, (932-936)
Oat blue dwarf virus, in aster leafhoppers, dual infection with aster yellows, 1062
Obituaries
—George Miller Armstrong, 849
—Charles Homer Arndt, 850
—Robert H. Daines, 40
—L. C. P. Kerling, 39
—Manson B. Linn, 1275
—Frank Paden McWhorter, 253
—John Thomas Presley, 38
—Truman C. Ryker, 1152
—Arnold J. Ullstrup, 37
—Edward Elmer Wilson, 567
O'Brien, R. D., 1068
Ocamb-Basu, C. M., 1083
Ogawa, J. M., 567, 845, 1080, 1106
Ogoshi, A., 1245
Ohki, S. T., 864
Okamoto, H., 1113
Olanya, O. M., 1064, 1129
Oldfield, G. N., 847
O'Leary, A. L., 119, 199, 1066
Oleson, A. E., 1100, 1101
Olpidium brassicae, virus vector on lettuce, 846
Omielan, J. A., 845
O'Neill, N. R., 1124, 1143
Onion
—*Botrytis* on umbel of, pathogenicity, 604, (606, 609)
—flower blight, temperature and moisture effect, 612
—flower blight and scape girdling, in New York, 599, (601)
—*Glomus intraradices* on roots of, sporulation, 1111
—nematodes of, in Mexico, 372
—yield related to defoliation, 1067
Onobrychis viciifolia, Phytophthora seed rot and seedling blight of, control, 843
Ooka, J. J., 845
Opgenorth, D. C., 845
Ortega, M. L., 373
Osburn, R. M., 1109
Osman, S. F., 1101
Osmeloski, J. F, 659, 800, 1097
Ostrinia nubilalis, on corn, anthracnose effect, 586
Ostry, M. E., 957, 1119
Otani, H., 1113
Otrosina, W. J., 845, 1112
Overton, S. V., 565, 1066
Owen, G. R., 1129
Owens, F. N., 1115

Pace, M. E., 1125, 1147
Pacumbaba, R. P., 1115
Paguio, O. R., 1072
Pair, J., 1130
Palmer, L. T., 846
Palmer, M. A., 1085
Pan, S.-Q., 1106
Panopoulos, N. J., 846, 1069, 1100
Papa, K. E., 1126
Papa, S. L., 1057
Papaya, pathogens of, cutinase detection by plate assay, 473
Papaya ringspot virus
—antigenically distinct strain, serology, 346
—melon resistance, vector acquisition, 1122
—of mutant spore control, in Taiwan, 1091
Pappu, H. R., 1121
Parish, C. L., 1074
Parke, J. L., 1093
Parmeter, J. R., 846, 1059
Parsnip, Phoma canker of, resistance, 1092
Partridge, J. F., 957
Passion fruit yellow mosaic virus, tymovirus in Brazil, new, 951, (952, 954)
Pastor-Corrales, M. A., 1064, 1087
Pataky, J. K., 702, 1079, 1349
Pategas, K. G., 1121
Pathak, A., 566
Patil, S. S., 473
Patterson, C. L., 846, 1097, 1102
Patton, R. F., 1059
Paulitz, T. C., 351, 1105
Paulus, A. O., 1071
Pavek, J. J., 1112
Paxton, J. D., 1112
Payne, G. A., 679
Payne, J. H., 1100
Pea
—Aphanomyces root rot, continuous cropping effect, 1093
—Ascochyta blight of, cultivar resistance of seedlings, 878
—damping-off, *Trichoderma* seed treatment, biocontrol mechanism, 720
—Fusarium root rot of, inoculum density and placement, 1087, 1325
—hollow heart of, occurrence in Pacific Northwest, 846
—resistance to, evaluation technique, 1134
Pea enation mosaic virus, genomic RNAs, structure, 1090
Peabody, D. C., 656
Peabody, R. B., 656
Peach
—*Botryosphaeria* spp. on, factors, 1065
—canker of, comparative anatomy and host response in cultivars, 905, (908, 909, 911)
—growth and yield affected by fungi, nematodes, and fertility, 1108
—mycoplasma-like organisms in, detection with fluorescence microscopy, 784, (785)
—Phytophthora root rot and stem canker, systemic fungicides for, 1066
—X-disease, initial stages of spread, 1084
—*Xanthomonas campestris*: in leaves, survival, 1139; on, pruniphage and epiphytic bacterial interaction, 549
Peanut
—*Aspergillus flavus* on: genotype screening, aflatoxin, 1091; pod resistance, 1092
—*Aspergillus parasiticus* of, irrigation and gypsum factors, 1063
—black hull: histopathology, 1102; resistance assessment, 1089
—*Cercospora arachidicola* on, disease gradients, 1083
—Cercospora leaf spot: management with fungicides, advisory, 860; management and partial resistance roles, 468
—Cercosporidium leaf spot: biocontrol with *Dicyma pulvinata*, 990; mycoparasite of, factors affecting, 1168
—early leaf spot of, resistance components, 495
—immunosuppressive compounds in, fungus role, 1063
—leafspot advisory, evaluation, 1127
—leafspot incidence, field inoculation effect, 564
—leafspot severity and defoliation, time relation, 1081
—*Meloidogyne hapla* on, cytokinin activity in roots, 1139
—*Rhizoctonia* on seeds, peanut-corn rotation, [illegible]5
—*Sclerotium* and *Rhizoctonia* of, diniconazole effect, 1064
—Verticillium wilt of, sap flow velocity in susceptible genotypes, 500
Peanut mottle virus
—nodulation function affected by, 294, (295)
—potyvirus relations, nucleic acid

hybridization, 1132
—soybean germ plasm interaction, 764
Peanut stripe virus, on soybean, resistance, 1073
Peanut stunt virus
—strains, characterization by hosts and serology, 390
—white clover yield effect, 557
Pear
—fire blight, stigma role, 476, (481)
—fruit decay of, control, 1065
—*Mucor* spp. on, in British Columbia, 1129
Pearson, C. A. S., 646, 1145
Pearson, N. S., 1096
Pearson, R. C., 656, 1145
Pecan
—juglone localization in, histochemicals, 205, (207)
—tissue culture of, 1065
Pedersen, W. L., 108, 257, 1119
Pederson, V. D., 957, 1147
Peet, R. C., 846
Peever, T., 657
Pelargonium flowerbreak virus, characterization, 564
Pell, E. J., 657, 845, 1096
Pelletier, J. R., 657, 1083
Peng, Y. F., 1069
Penicillium digitatum
—isolates resistant to butylamine, 805
—on orange, chemical changes and susceptibility, 1094
Pennisetum americanum, ergot resistance in, stigmatic constriction, 536
Pennucci, A., 657
Pennypacker, B. W., 522, 657
Pennypacker, S. P., 1071
Pepper
—viral diseases of, diagnosis, 375
—viruses of, etiology, 374
Percich, J. A., 1138
Perez-Serrato, P., 376
Periwinkle, Phytophthora leaf and stem blight, in Florida, 1071
Perkins, J. M., 1349
Peronosclerospora sorghi, on sorghum, spatial pattern analysis, dispersion index, 446
Peronospora spp.
—*P. tabacina*: sporangium of, multinucleate condition, 1111; on tobacco, metalaxyl resistance, 1116; on tobacco, plant age and leaf position effect, 455; on tobacco, protection by stem injection, 938, 1092
—*P. trifoliorum*, on alfalfa, resistance based on saponin, 958
Perring, T. M., 1063
Pesic, Z., 1061
Petersen, F. P., 1057
Peterson, A. G., 957
Peterson, C. M., 1104
Peterson, G. L., 562
Peterson, G. W., 313, 1113
Peterson, J. F., 294, 655
Peterson, M. A., 1110
Pettit, R. E., 1063, 1091, 1092, 1168
Pfender, W. F., 957, 958
Phaseolus spp. (see also Bean)
—*P. lunatus*, geminivirus fr... , purification, 1121
—*P. vulgaris*: anthracnose, race-nonspecific resistance to, 1092; bacterial blight, leaf movement alteration, 270; breeding line, development and release, 1067; circumnutation in, bacterial infection effect, 712; common blight, hydrogen fluoride and sulfur dioxide effect, 514; cucumber mosaic virus of, seed transmission, serology, and host-pathogen relations, 999; Rhizoctonia root rot, seedling protection, 1115; Rhizoctonia root rot of, path coefficient analysis, 874; *Rhizoctonia solani* on, factors affecting yield, 869; *Rhizoctonia solani* on, soil factors, 568; rust of, increase in cultivar mixtures, 895; rust of, leaf age factor, 1105; rust resistance in, leaf age effect, 958; temperature and moisture effect on cultivar quality, 376; viruses of, yield effect and etiology in Mexico, 374
Phellinus weirii, model control strategies, 1059
Phenols, binding by glycoproteins, *Colletotrichum*, 1315
Phialophora spp.
—*P. graminicola*: on bluegrass, root cortical death, 917; on cereals, temperature effect, 923
—*P. radicicola*, on bermudagrass, decline, 1057
Philbeck, R. B., 51
Philips, T. D., 1063
Phillips, D. V., 1119
Phillips, W., 375
Phipps, P. M., 562, 564, 860
Phomopsis spp., on soybean seed, pod moisture effect, 273, *649*
—*P. longicolla*, on soybean seed, serological detection, 1081
Photinia fraseri, leaf spot, temperature and moisture effect, 1072
Phylloplane, colonization of, model, 1115
Phytophthora spp.: Agral effect on asexual stages, 847; on apple, root and crown rot from, in Arizona, 845; on apple rootstocks, root dips for, 1105; on avocado, protection with citrus *Phytophthora*, 194; on citrus, fungicides for, systemic and trunk application, 1066; on cocoa, morphological and pathological comparisons, 159, (161); cross-inducing species, mutants and enzyme production, 1142; herbicide oryzalin effect on, 659; taro corm rot from, in Hawaii, 845
—*P. cactorum*: sporulation, fungicide effect on, in soil, 1116; on strawberry, splash dispersal in canopy, 1080
—*P. cinnamomi*: on azalea, hyphomycetes as biocontrol agents, 847; on Fraser fir, spread, 1190
—*P. cryptogea*, water potential effect, 1248
—*P. infestans*: cryogenic storage, 1143; double-stranded RNA in, detection, 1102; fitness and virulence of isolates, sexual and asexual populations, 1209; genetics, isozyme analysis, 410, (411); genetics, single-oospore cultures, intraspecific stimulation, 407, (408); nuclear DNA content, 566; on potato, acidic mist effect, 1097; on potato, acidic rain and fungicide relation, 800; on potato, fungicides for, 855; on potato, somaclonal variants, 562; segregation ratios, isozymes for analysis, 1102; on tomato and potato, control with organic waste extracts, 1104
—*P. megasperma*: in alfalfa, speciation, 1080; on alfalfa, variability in culture and isolates, 1102; formae speciales of, restriction fragment polymorphism of DNA, 1146; oospore germination in, alfalfa root extract and exudate effect, 508; oospore germination in, chemical and physical factors, 503; on soybean, race-specific resistance, microplots, 554
—*P. parasitica*: on citrus, rhizosphere populations, 1093; on citrus, salinity role, 970; in citrus soil, population assay and sampling, 1093; on poinsettia, fosetyl-Al and metalaxyl effect, 651; soil microorganisms antagonistic to, organic carriers, 1069; on tobacco, inoculum density and distribution effect, 1153; on tobacco, soil water effect on epidemiology, 1213; on tomato, furrow irrigation effect, 841; zoospore production, citrus germplasm screening, 1143
Phytotoxins (see also Toxins)
—juglone, in pecan, histochemistry, 205, (207)
Piche, Y., 1111
Pickett, L. S., 842
Pierce, M., 1140
Pillay, M., 1094
Piña R., J., 376
Pine (see also *Pinus* spp.)
—Cylindrocladium root rot of, ectomycorrhizal fungus effect, 1110
—fusiform rust of, prediction by greenhouse method, 1133
—loblolly: drought and growth decline, 1058; fusiform rust, triadimefon-treated seed for, 1085; pitch canker of, silvicultural control, 1113; pitch canker, thiabendazole for, 1085; rust resistance detection, isozyme analysis, 1112
—loblolly and slash, ectomycorrhizae, triadimefon effect on, 824
—lodgepole, gall rust of, spore dispersal, 1058
—Scots, pine wood nematode effect, 1058
—slash, fusiform rust of, resistance, 1085
—white, air pollution symptoms, in Appalachian Mountains, 1084
Pineapple
—mealybug-wilt of, virus particle association, 1073
—root rot, inoculum potential of pathogens, 1124
Pinon, J., 1133
Pinus spp. (see also Pine), fusiform rust resistance in 20 species, 1086
—*P. hartwegii*, photochemical oxidant damage, in Mexico, 377
—*P. strobus*: Cylindrocladium root rot, temperature and ammonium nitrate effect, 1085; seed-borne fungi, pathogenicity, 1113
Pirone, T. P., 1063
Pisolithus tinctorius, on pines, triadimefon effect on, 824
Pistachio
—aflatoxin in, splitting and tattering, 692, (693)
—epicarp lesion development, wound-induced peroxidase activity, 1080
Pitrat, M., 1122
Plant disease database, in Arizona, application, 1138
Plasmids
—pDC190, *Erwinia stewartii*, 165
—*Xanthomonas campestris*, copper resistance and avirulence loci linkage, 240
Plasmodiophora brassicae, on *Brassica*, resistance and factors, 1105
Plasmopara spp.
—*P. halstedii*, longevity, temperature and moisture effect, 1141
—*P. viticola*, on grape, infection efficiency, 1082
Platzer, E. G., 1139
Ploetz, R. C., 1082, 1095, 1120
Poa semilatent virus, barley stripe mosaic virus compared to, 322, (323)
Podila, G. K., 1130
Podleckis, E. V., 565, 1065
Podosphaera leucotricha, on apple, model based on plant growth, inoculum, and fungicides, 1176
Poe, S. L., 565
Pogostemon patchouli, mosaic caused by potyvirus, in India, 1109
Pohronezny, K. L., 430
Poinsettia, Pythium root rot, metalaxyl for, 1129
Pollution
—acid rain: fungicide relation to potato late blight, 800; ozone and C_2H_4 emission in oats, 657
—acidic fog, plant injury and disease, 1096
—hydrogen fluoride and sulfur dioxide, common blight of bean affected by, 514
—oxidants, on bean in Mexico, 374
—ozone: bioindicator survey in Southeast USA, 1085; loblolly pine seedlings affected by, 1097; pollen use to predict response,

1097; soybean foliage effect, injury response, 1096; soybean response, 51
—ozone and acidic precipitation: mycorrhizae on birch and pine seedlings, 654; rhizosphere microorganism response, 1096
—ozone and sulfur dioxide, tomato growth and yield, 1338
Polston, J. E., 1063
Polymyxa spp.
—*P. betae*, pathogenicity and vector potential, 1089
—*P. graminis*, wheat virus vector, 339
Poole, R. T., 1071
Poplawsky, A. R., 1069, 1135
Populus deltoides (see also Cottonwood)
—rust of, virulence and aggressiveness traits, 266
Poria spp.
—*P. carbonica*, wood colonization and spore germination by, moisture and temperature effect, 212
—*P. placenta*: ELISA for detection, 652; xylanase purification in, gel filtration, 1113
Porras, V. H., 376, 1116
Postharvest pathology
—aflatoxin contamination in corn, preharvest infection, 679
—*Aspergillus flavus* in raisins, suppression by solar heating, 335
—oil crops and mycoflora of, control, 562
—tomato, fungal pathogens and polysaccharide fractions, 573
Poswal, M. A. T., 1107
Potato
—*Alternaria, Verticillium*, and leafhopper effect, interacting population, 1046
—bacterial soft rot: calcium in cell walls, 401, (402); cut surface area and puncture effect, 1077
—bacterial wilt resistance, IR-1 collection screening, 1137
—blackleg, early generation seed stock performance, 56
—CGA 449 effect on infection, 566
—common scab of, streptomycete isolates, 1078
—early blight: factors, 1083; fungicides and yield effects, 564; growth model, 1067; maturity and resistance factors, 651
—early dying of, pathogens and yields, 1108
—*Erwinia* spp. on, survival in wild plants, 377
—*Escherichia coli* on, in tuber, cloned pectate lyase gene, 1100
—late blight: acidic rain and fungicide relation, 800; fungicides for, acid rain effect, 659; systemic and contact fungicide mixtures for, 855
—leafhopper feeding effect, growth model, 1067
—metalaxyl residue, spatial and temporal variation, 1088
—ozone and sulfur dioxide effect, 1096
—pitted scab of, control, 957
—premature death, chemical control, 1116
—*Pseudomonas solanacearum* on, five inoculation methods, 1078
—ring rot, nitrogen effect in cultivars, 1135
—rishitin and lubimin accumulation in tubers, calcium role, 1067
—root diffusates, diffusion through soil, 657
—seed tuber decay, *Pseudomonas* inhibitory to, 1078
—*Verticillium* and *Pratylenchus* interactions, 842
—Verticillium wilt: irrigation and N-fertility relation, 730; soil solarization for, resistance, 1021; yield loss, 1068
—virus Y detection of tubers, 377
—viruses of: aphid-transmitted, whitewash effects, 1344; detection methods, 844
Potato leaf roll virus
—eradication by chemotherapy of buds, 1122
—overwintering in winter annual weeds, 847
—RNA, cloning and physical mapping, 1090
—tissue regeneration after infection, 1130
Potato virus X, resistance in protoplasts, 652
Potato virus X and Y, resistance to, monitoring, 1122
Pothos, leaf and stem blight, three fungi causing, 1071
Powell, C. A., 1062
Powell, W. A., 1128
Powelson, M. L., 56
Powelson, R. L., 815
Powers, H. R., Jr., 1112
Powers, T. O., 1139
Prakash, C. S., 266, 1085
Pratylenchus thornei, reproduction of, "carrot callus" culture technique, 374
Prescott, J. M., 847, 1060
Pretorius, Z. A., 1147
Pring, D. R., 1060
Proffer, T. J., 1080
Prud'homme, A., 657
Prune dwarf virus, on sweet cherry pollen and seed, 317, (318)
Prunus necrotic ringspot ilarvirus, immunology, mouse monoclonal antibody, 1132
Prunus necrotic ringspot virus, in sweet cherry pollen and seed, 317
Przybylowicz, P. R., 212
Pseudocercosporella herpotrichoides, on wheat, papilla formation and hypersensitivity, 737, (738, 741)
Pseudomonas spp., in potato seed piece, antagonism to *Erwinia carotovora*, 414, (419)
—*P. avenae*, on corn, biocontrol in phylloplane, 1068
—*P. cichorii*: on chrysanthemum, bacteria antagonistic to, 1135; selective medium for isolation, 1087
—*P. fluorescens*: on cotton, antifungal biosynthesis in root, 1069; iron role in root colonization and fungal inhibition, 1069; on ornamentals, root-colonizing microflora effect, 176
—*P. maltophilia*, on live oak, antagonistic, 652
—*P. putida*: antagonist to soft rot bacteria, 1070; *Erwinia carotovora* interaction, yield effect, 423; root surface peroxidases in, production, 1138
—*P. solanacearum*: eggplant resistant to, screening method, 563; phenotypic variability, from potato field, 1118; in potato tissue culture, responses, 1137; soil suppressive to, detection method, 1138; soil suppressive to, inhibitory characteristics, 1138
—*P. syringae*: on almond and citrus, copper tolerant strains, control, 1118; in carrot suspension culture cells, interactions, 1136; on citrus, in Mexico, 375; copper resistance genes in, cosmid clone, 1100; in cucumber seedling buds, survival, 1086; epiphytes, interaction and specificity, 1136; homogeneous strains, 1138; hypersensitive reaction, lipid relations, 104; ice nucleation active strains, epiphytic fitness, 1068; identification using cloned phaseolotoxin gene, 846; mutant strains, competitive exclusion, 1069; on soybean, avirulence gene analysis, hypersensitivity, 1099; sugar beet root elongation affected by, 386; Tn*5* mutants, toxin relation, 1100; on tobacco, race 0 and 1, multiplication, 1137; on tomato, biocide resistance, 655; on tomato, copper resistance induced, 1076; on tomato, overwintering populations, 957
Pseudoperonospora cubensis, pathotypes, 1081
Pseudopeziza tracheiphila, on grape, in New York, 656
Puccinia spp., teliospore germination of, 1026
—*P. allii*, on Chinese chive, biology and epidemiology, 1123
—*P. asparagi*, slow-rusting by, two components, 208
—*P. cacabata*, bitertanol for control, 372
—*P. coronata*, on oats, cultivar mixture effect, model, 590
—*P. graminis*: on oats, resistance, 1147; on wheat, defeated resistance genes in, 546; on wheat, populations, genetic structure, 1149
—*P. helianthi*, low temperature storage of, 657
—*P. melanocephala*, on sugarcane, severity and nutrient relation, 581
—*P. recondita*: on wheat, epidemiology zones in Mexico, 376; on wheat, temperature and time interactions, 1286
—*P. sorghi*: on corn, cultivar mixture effect, 895; on sweet corn, seedling resistance, 702
—*P. striiformis*: on wheat, durable, high-temperature resistance, 435; on wheat, resistance and temperature genes, 93
Puente, M., 657
Puhalla, J. E., 396
Punja, Z. K., 755, 976
Purcifull, D. E., 346, 1061, 1073
Purdy, L. H., 373, 1124
Pusey, P. L., 136
Pyrenochaeta lycopersici, host range, 844
Pyrenophora spp.
—*P. avenae*, virulence and viability, storage conditions, 565
—*P. teres*, on barley, yield loss from in Morocco, 1098
—*P. tritici-repentis*: isolate storage method, 956; on oats and wheat, resistance, 931, (932-936); sexual reproduction by, nutrition, 957
Pyricularia oryzae (see also *Magnaporthe grisea*)
—chemical control, 372
—isolate variation, 1093
—longevity and pathogenic stability, 231, (233)
—mycoviruses from, dsRNA banding patterns in isolates of, 674
Pythium spp.: Agral effect on asexual stages, 847; on cotton seedlings, soil factor, 286; proteins from, isoelectric focusing, 841; sporangial germination, cotton seed volatile effect, 1129; storage, wheat leaf:water medium, 1143
—*P. aphanidermatum*, sexual reproduction of, phospholipids for stimulation, 1159
—*P. splendens*: on cucumber, damping-off and calcium effect, 221; suppression in soil, calcium and organism effect, 215
—*P. ultimum*: on bean, biocontrol, 956; *Enterobacter cloacae* in hyphae of, biocontrol role, 327, (330, 332); soil suppressive to, factors, 1221, (1226); wheat chaff effect on inoculum density, 1330

Quail pea mosaic virus, on beans and soybeans in Venezuela, 1089
Quinn, J. A., 883
Quiot, J. B., 1122
Quiot-Douine, L., 346

Raabe, R. D., 846, 1129
Radcliffe, E. B., 1046, 1067
Radish
—damping-off, biocontrol, 306
—soilborne pathogens of, solarization and metham-sodium effect, 842
Radopholus similis, physiologic races in Mexico, 375
Ragland, C. K., 557
Rahe, J. E., 465
Rahimian, M. K., 1083, 1116
Rajaram, S., 376
Raju, B. C., 1071, 1083

Ramig, R. E., 1330
Ramírez, C., 1118
Ramirez, P., 1095
Ramírez-G., J., 375, 376
Ramsdell, D. C., 1074, 1333
Ramsey, G. R., 599, 604, 612
Rand, R. E., 1067, 1078, 1079
Randhawa, P. S., 549, 1071, 1087, 1135, 1136
Randles, J. W., 889
Rao, B. L. S., 1109
Rao, D. V., 1140
Rasmussen, J. B., 1095
Rasmussen-Dykes, C. H., 842, 846, 1057
Raspberry, postharvest fruit rots of, fungicides for, 842
Rawlings, J. O., 51
Rawsthorne, D., 657
Raymer, P. L., 1119
Read, P. E., 1119
Red clover necrotic mosaic virus, DNA cloning of, RNA-encoded proteins, 1090
Reddick, B. B., 1125, 1126
Redmond, J. C., 1071
Reed, K. L., 1123
Reeder, W. F., 1066
Reeser, P. W., 1079
Reichard, D. L., 1141
Reilly, C. C., 136
Reinecke, P., 1117
Reinert, R. A., 1096
Rella, M., 1086
Resistance
—aspen to stem canker, estimation by ordination, 1289
—avocado to *Phytophthora*, induced, 194
—barley: to powdery mildew, induction, 301; to scald, gene-by-race relations, 661
—bean and corn to rusts, cultivar mixture effect, 895
—corn: to *Cochliobolus heterostrophus*, 774; to foliar pathogens, *Ht* gene, 108; to Fusarium ear rot, 684; to maize dwarf mosaic virus, 769, 1034; to northern corn leaf blight, *Ht* gene effect, 257
—cotton to Verticillium wilt, distribution relation, 1005
—cowpea to southern bean mosaic virus, 795
—cucumber to anthracnose, induced protection, 966
—cultivar mixture effect, epidemiology, model, 832
—flax to rust, new factor, 1043
—fungi to fungicides, systemic, 1116
—muskmelon to powdery mildew race 2, 1165
—oats to crown rust, epidemiology, 590
—oats and wheat to leaf spots, histological, 931
—parasite:host specificity, concepts, 379
—pea to *Mycosphaerella pinodes* seedlings, 878
—peanut to early leaf spot, 495
—pearl millet to ergot, stigmatic constriction, 536
—rice to bacterial leaf blight, 881
—soybeans: to bacterial pustule, histopathology, 959, (962, 963); to peanut mottle virus, 764
—wheat: to stem rust, defeated resistance genes, 546; to stripe rust, durable, high-temperature, 435; to stripe rust, high temperature genes, 93
Reuveni, M., 455, 1092, 1116
Reviewers, acknowledgment of, 1
Rey, M. E. C., 1109
Reyes, J. C. B., 1082
Reynolds, K. L., 514, 658, 923, 1067
Reynolds, K. M., 1080, 1141, 1190
Rhizobium spp.: in peanut mottle virus infected peanuts, 294; strains of, ribosomal subunits of, serology, 1265
—*R. leguminosarum*, competitiveness of strain T24, basis, 1076
Rhizoctonia solani
—anastomosis groups: characterization, 1064; strawberry root rot association, 1141
—on bean: factors affecting yield, 869; path coefficient analysis, 874
—bean resistant to, evaluation, 1087
—on cereal roots, characterization of isolates, Australia, 1245
—on corn, crown and brace root rot from, rotation effect, 248
—on cotton, chemical control, 376
—on cotton seedlings, soil factor, 286
—on dry bean, soil factors, 568
—fungicide resistance, 1127
—on lima bean in New York, 651
—mycovirus, RNA polymerase from, 650
—on peanut, Tolclofos-methyl sensitivity, 1101
—on potato, isolation from stems and subterranean organs, characterization, 725
—on radish, *Trichoderma* as biocontrol agent, 306
—on rice, bacterization for control, 1260, (1262, 1263)
—on rice leaf sheaths, infection process, microscopy, 811, (812, 813)
—sclerotia of, morphological changes, 1101
—on strawberry, fungal associations in Massachusetts, 651
—on wheat, tillage and crop rotation effect, 669
Rhizopus stolonifer, in tomato, enzyme detection in fruits, 42
Rhizosphere
—colonization by seed applied organisms, 60, (63)
—cotton, tomato, and barley, colonization patterns, 1064
Rhoades, M. H., 565
Rhoads, M. L., 1140
Rhoads, R. E., 1091
Rhodes, D. J., 1078
Rhodococcus rubropertinctus, virulence of, pea bioassay, 1079
Rhododendron spp., Phytophthora root rot, water potential and pine bark effect, 1072
Rhynchosia mosaic virus
—mechanical transmission, 1073
—nuclear inclusion bodies, light microscopy, 124
Rhynchosporium secalis
—on barley: biology and control, 1123; pathogenic complex and gene-by-race relations, 661
—fragment length polymorphisms, 1102
—isozymes in, 843
Ribonucleic acid
—denatured, system for electrophoresing, 1130
—double-stranded: elongated particles and undivided genomes, 459; in 23 viruses, 459
Ribosome, purity in serology, 1323
Rice (see also Wild rice)
—bacterial blight of, pathogenicity of Indian isolates, 881
—blast: character association, 564; electrophoretic variation, 778; races, relation to dsRNA banding patterns, 674
—blast resistance, assessment, 1105
—brown leaf spot of, host-specific toxin, 261, (262)
—foliar disease of, fungicides for, 1060
—*Rhizoctonia* in leaf sheaths of, infection process, microscopy, 811, (812, 813)
—seedling disease and feeder root decline, *Pythium* association, 1094
—sheath blight of, bacterization for control, 1260, (1262, 1263)
—straw decomposition by *Trichoderma*, in soil, 1103
Rice, R. E., 1080
Rice grassy stunt virus, mouse monoclonal antibody for detection, 1132
Rice tungro bacilliform virus, leafhopper vectors, 1075
Richard, C., 942
Richards, K. W., 75
Richards, W. C., 1086
Richardson, J., 1161
Richins, R. D., 451, 749, 1131
Ricker, M. D., 495
Rickerl, D. H., 1120
Ried, J. L., 1100
Riedel, R. M., 1108
Ries, S. M., 441
Riffle, J. W., 313
Riggs, R. D., 913
Rijkenberg, F. H. J., 1147
Riov, J., 1281
Rist, D. L., 658
Rizzo, D. M., 658
Roane, C. W., 764
Robak, J., 1105
Robert, C. F., 1110
Roberto, N., 652
Roberts, D. A., 1097
Roberts, P. A., 844
Robertson, N. L., 1120
Robison, M. D., 1127
Rochow, W. F., 653, 1062
Rodriguez, P. L., 80
Rodriguez-Kabana, R., 376
Rodríguez M., R., 373, 377
Rodríguez-Santiago, C., 375
Roelfs, A. P., 1146
Roffey, R., 1076
Rohrbach, K. G., 1097, 1124
Romaine, C. P., 1121
Romanow, L. R., 1276
Ronald, W. P., 491
Roncadori, R. W., 1108
Rosales, A. M., 1103, 1260
Rose, mildew and rust control, fungicides, 1071
Rose mosaic virus, purification by host protein reduction, 1062
Rosenberg, K. A., 658
Rosenbrock, S. M., 1088
Rosenkranz, E., 1095, 1096
Rosiles, R., 1061
Rosner, A., 820
Ross, M. A., 1098
Rossi, A. E., 231, 564, 674
Rossman, E. C., 684
Rothman, P. G., 1147
Rothrock, C. S., 1098, 1119
Rotkis, P. T., 1093, 1124
Rouse, D. I., 1068, 1069
Rovira, A. D., 669, 1245
Rowe, R. C., 306, 1108
Royer, M. H., 562, 565, 1144, 1146
Royse, D. J., 654, 658
Rufty, R. C., 1096
Ruíz-N., J. E., 376
Ruiz B., P., 376
Runion, G. B., 1085, 1113
Rupe, J. C., 273, 1080
Ruppel, E. G., 1309
Ruppel, E. R., 1130
Rush, C. M., 846, 1087, 1325, 1330
Rush, M. C., 1094
Russell, M. L., 1091
Russo, V. M., 1068
Rust, teliospore germination of in 27 spp. of, 1026, (1028)
Rutter, S. M., 1088
Rytter, J. L., 1146
Rytter, J. R., 1134

Saari, E. E., 372
Sabourin, D., 878
Sackston, W. E., 654, 657
Saettler, A. W., 1141
Safflower, stem soft rot of, in Mexico, 374
Sagan, J. E., 1005
Sagebrush, snowmold disease of, 946, (948)
Saghai-Maroof, M. A., 661, 843, 1102
Saini, R. G., 881
Salt, S. D., 1106
Salzwedel, J. L., 1137
Samoucha, Y., 855

Sams, C. E., 1128
Samyn, G., 1141
Sanborn, M. R., 1133
Sánchez, G., 1121
Sandler, H. A., 707, 1093
Sands, D. C., 1070, 1083
Sasaki, P. J., 1126
Sasser, M., 1087
Sauer, D. B., 745
Saunders, J. L., 1108
Scardaci, S. C., 1094
Schaad, N. W., 139, 148, 841, 842, 846, 1117, 1134, 1137, 1265
Schaeffer, G. W., 1146
Schafer, J. F., 1147
Scharen, A. L., 1083, 1112
Schaup, H. W., 1323
Scheffer, R. P., 1094, 1095
Scheinpflug, H., 1117
Schenck, N. C., 1064, 1111
Schilling, K., 1107
Schisler, D. A., 1118, 1125
Schisler, L. C., 563
Schlagnhaufer, B., 1121
Schmidt, R. A., 373, 1124
Schmitt, C. A., 1121
Schmitthenner, A. F., 1105
Schneider, D. J., 1040
Schneider, I. R., 1091
Schneider, R. W., 396, 1089, 1094, 1129
Schneider, S. M., 1139
Schoelz, J. E., 451, 1090
Scholthof, H. B., 1131
Schraeder, W. R., 847
Schreiber, L., 652
Schroth, M. N., 171, 176, 386, 1086, 1109
Schubert, T. S., 1071
Schuerger, A. C., 1117, 1121
Schuh, W., 446
Schultz, M. E., 846, 1059
Schultz, T., 1306
Schulze, C. P., 1065
Schwartz, M., 376, 1106
Schwenk, F. W., 646, 1145
Scibilia, K. L., 1058
Sclerotinia spp.
—*S. borealis*, extracellular enzymes in, method for determination, 1143
—*S. minor*: fungicide resistance in, field plots, 562; mating types, compatibility genes analyzed, 1102; sclerotia parasitized by *Sporidesmium*, haustorial production, 101, (102); sclerotial survival, in animal digestive tract, 1115
—*S. sclerotiorum*: germination and apothecium development, herbicide effect, 980, (981-983); on sunflower, inoculum density and plant population effect, 71
—*S. trifoliorum*, apothecia, factors, 1123
Sclerotium spp.
—*S. cepivorum*, sclerotia, isolation in muck soil by centrifugation, 465
—*S. rolfsii*: on apple, sclerotial production, 1072; on carrot, soil factors, 976; host tissues infected, histology, 755, (756, 757); on southernpea, infection response, 1134
Scott, G. E., 290, 1095, 1096
Scott, H. A., 808, 1122, 1127
Scott, S. W., 1132
Seed disinfection, sodium hypochlorite for, efficacy, 745
Seem, R. C., 41
Seh, M. L., 1141
Sehgal, O. P., 1062
Seifers, D. L., 1075, 1076
Seip, E. R., 565
Seip, L., 528
Semer, C. R., IV, 1071, 1135, 1136
Septobasidium pinicola, on white pine, discoloration, 656
Septoria spp.
—*S. musiva*, on *Populus*, resistance selection, 1119
—*S. nodorum*, epidemic from, quantification of environment, 659
—*S. tritici*, on wheat, streptomycin effect, 1103
Sequeira, L., 1118, 1137
Sesame, blight of, control in Texas, 1089
Shafer, S. R., 1096, 1097
Shaffer, W. H., 1066
Shahabuddin, M., 1090
Shaik, M., 958, 1105
Shaikh, A. H., 1145
Shain, L., 1058, 1113
Sharma, S. C., 881
Sharp, E. L., 1083
Shattock, R. C., 407, 410, 1102
Shaw, C. G., III, 1081
Shaw, J. G., 1091
Shaw, J. J., 846
Shelby, R. A., 1108
Sheng, W. S., 658
Shepard, D. P., 1070
Shepherd, E. C., 1063
Shepherd, R. J., 451, 749, 1090, 1131
Sherwood, J. L., 1126, 1127, 1133
Shevenell, B. J., 132
Shew, B. B., 1147
Shew, H. D., 1119
Shi, C. L., 658
Shokes, F. M., 1081, 1082, 1095, 1120
Sholberg, P. L., 1129
Shortle, W. C., 132
Shtienberg, D., 1098, 1099
Sibara, M., 1109
Siegel, M. R., 455, 1057, 1092, 1116
Silva-Z., J., 372, 376
Silveira, J. S. M., 638
Simini, M., 1067
Simon, J. E., 1067
Simone, G. A., 1087
Sims, J. J., 1100
Sinclair, J. B., 282, 532, 543, 1106
Sinclair, W. A., 1133
Sinden, S. L., 562
Singh, R. P., 376
Singh, T., 532
Singleton, L. L., 1115, 1143
Sisler, H. D., 566
Skaria, M., 1126, 1127
Skelly, J. M., 565
Skilling, D. D., 1119
Skinner, D. Z., 958, 1143
Skoglund, L. G., 842, 846, 1130
Skopp, R. N., 1121, 1130
Slack, S. A., 1062
Slater, L. S., 1083
Smail, V. W., 566
Smedegaard-Petersen, V., 301
Smereka, K. J., 658, 1107
Smilanick, J. L., 805, 846, 1060
Smiley, R. W., 917, 923
Smith, B. J., 1133, 1134
Smith, C. M., 1127
Smith, D. A., 1112
Smith, D. B., 658
Smith, E. F., 1094
Smith, F. D., 659
Smith, G., 659
Smith, J. A., 1137
Smith, L. L., 1086
Smith, O. P., 1090
Smith, R. J., 622, 1111
Smith, V., 1128
Smith, V. L., 755, 1083
Smith, W. H., 659
Snow, J. P., 1063, 1125, 1147
Snyder, B. A., 1126
So, M. L., 1123
Soh, D. H., 1139
Soil
—matric potential, head smut teliospore survival in soil, 487
—matric potential and gas quality, environmental cell to control, 1018
Soil microorganisms, conifer nursery, volatile effect, 1118
Soil suppression (see Suppression soils)
Soilborne plant pathogens, concepts and connections, presidential address, 20
Soilborne wheat mosaic virus, deterioration after antibody decoration, 339
Solarization
—radish soilborne pathogens and weeds affected by, 842
—use in glass houses, 1094
Somerville, P. A., 1094
Somerville, S. C., 1094
Sommer, N. F., 335, 692
Sonoda, R. M., 1097
Sorensen, L. H., 563, 842, 1021, 1094
Sorghum
—downy mildew, spatial pattern analysis, dispersion index, 446
—foliar diseases and yield loss, in Honduras, 1142
—leaf blight, resistance source in Puerto Rico, 373
—maize dwarf mosaic virus of, cytology, 1121
—maize dwarf mosaic virus-A on, factors affecting, 1072
—rust: ecology, losses, and resistance, 1119; resistance, 1119
—stalk rot of, pectolytic bacteria, 957
—virus infection, segregating populations, 566
Sorrell, M. E., 1126
Sosa Moss, C., 374
Sotomayor-Ríos, A., 373, 1119
Southern bean mosaic virus
—on cowpea: multiple genes, 1126; resistance and symptomatology, 795
—monoclonal antibodies, assessment for chromatography, 491
Soybean
—acid rain and nitrogen metabolism, 652
—*Alternaria alternata* on seeds of, histopathology, 543, (544, 545)
—bacterial pustule of, histopathology and growth genetics, 959, (962, 963)
—*Colletotrichum destructivum* on, *Glomerella* anamorph, 282, (283, 284)
—cyst nematode: race 1, glyceollin I in roots of, radioimmunoassay, 1139; of, syncytia of, morphological characters, 913, (914-916)
—*Diaporthe phaseolorum* on, epidemiology, 1094
—foliar fungicides for, timing, in Louisiana, 1147
—*Fusarium* pathogenic to, sudden death syndrome, 1080
—glyceollin elicitation, biological assay, 1112
—ozone effect on photosynthesis, 845
—ozone response in, 51
—peanut mottle virus strains of, interaction, 764
—*Phomopsis* of, factors affecting infection, 957
—*Phomopsis* seed infection: pod moisture effect, 273, *649*; quality, 566
—physiology and yield affected by antioxidant, 659
—Phytophthora root rot of, race-specific resistance, microplots, 554
—premature dying of, tillage and crop rotation effect, 1093
—red crown rot, in Louisiana, 1125
—red leaf blotch of, yield reduction by, 1106
—root-knot and cyst nematode of, model predicting yield, 376
—rust of, plant age effect on resistance, 565
—seed histopathology and seedling infection, charcoal rot, 532, (533, 534)
—seedling disease, flooding temperature effect, 1089
—Southern stem canker, perithecial production, factors, 1119
—stem canker: crop residue, 1120; of, factors affecting, 1082; management practices, 1119; of, phytotoxin production by pathogens, 1063; resistance in Florida,

1120
—tan spot of, temperature effect on spread of seed to leaves, 1079
—white mold, evaluation, 1120
Soybean dwarf virus
—detection by ELISA, 1075
—two strains of, purification and properties, 759
Spadafora, V. J., 565, 659
Spaine, P. C., 1085
Spalding. D. H., 1066
Spathiphyllum sp., Cylindrocladium root rot, 1130
Sphacelotheca reiliana, teliospore, survival in soil, 487
Sphaerotheca spp.
—*S. fuliginea*: on cucurbits, sexual reproduction in Israel, 1082; in muskmelon, race 2 resistance, genetics and nature, 1165
—*S. pannosa*, on rose, conidial liberation, factors, 1239
Specht, L. P., 566
Spielman, L. J., 1102
Spinach, white rust of, leaf area percentage and lesions, 1087
Spinach latent virus, first report in North America, 1087
Spiraea spp., leaf spot pathogens, life cycle, 1082
Spiroplasma
—honey bee, AS-576, monoclonal antibodies, 658
—immunofluorescence microscopy, monoclonal antibodies, 1083
—monoclonal antibody production, 650
Spore trap, volumetric, comparison, 127
Sporidesmium sclerotivorum, *Sclerotinia* mycoparasite, haustorial formation, 101, (102)
Spotts, R. A., 1065, 1066
Sprenkel, R. K., 1120
Spruce
—Norway, decline in Pennsylvania, 565
—red, acidic rain effect on seedling, 1084
—root and butt rot fungi, pathogenicity, 658
Spurr, H. W., Jr., 1111
Squash, *Erwinia carotovora* on, factors affecting, 1117
Squash leaf curl virus, nucleic acid detection in vector, 1063
Squash mosaic virus, beetle regurgitant effect on transmission, 808
Stack, J. P., 1063, 1124
Staley, J. M., 1124
Stall, R. E., 240, 430, 1068, 1078
Stanghellini, M. E., 841, 847
Stanosz, G. R., 1084
Staples, R. C., 1128, 1137, 1142
Stapleton, J. J., 376, 847, 1107
Starr, J. L., 1107
Stasz, T. E., 659, 1104, 1109
Stavely, J. R., 566
Steadman, J. R., 956, 958, 1105
Steele, J. L., 564
Steffenson, B. J., 1146
Stempen, H., 792
Stemphyllium botryosum
—hydroxamate siderophores produced by, 1081
—phytotoxin, antibody use, 1125
Stenger, D. C., 1074
Stephens, C. T., 957, 1114, 1134
Stevens, C., 1068, 1085
Stevenson, R. E., 1072
Steward-Clark, E., 1128
Stewart, J. S., 958
Stienstra, W. C., 1061
Stipes, R. J., 562, 565
Stobbs, L. W., 483, 1217
Stoddard, S. L., 1075
Stokes, I. E., 566
Stone, H. E., 1100
Stowell, L. J., 1299
Strawberry (see also *Fragaria vesca*)
—*Colletotrichum* spp. on, isolate variation, 1133
Strawberry crinkle virus, in *Myzus ornatus*, serial passage, transmission to *Fragaria vesca*, 1161, (1162)
Strawberry mild yellow-edge virus, ultrastructure in host cells, 843
Strawberry vein banding virus, DNA analysis and molecular cloning, 1074
Stretch, A. W., 1065
Strobel, N. E., 1133
Stromberg, E. L., 1123
Sturges, D. L., 946
Stuteville, D. L., 958, 1143
Stutz, E. W., 181
Sugar beet
—Pythium damping-off of, osmopriming of, 1109
—Rhizoctonia root and crown rot of, fungicides for, 843
—rhizomania of, preplant fumigation for, 1089
—root elongation, bacterial indoleacetic acid influence, 386
—seed treatments, field evaluation, 958
Sugarcane
—bacteria in vascular tissue, ratoon stunting relation, 1136
—Pythium root rot, stubble decline role, 1089
—ratoon stunting disease: distribution in Louisiana, 1079; incidence in Costa Rica, 1089; sap extraction, 1079
—rust of, severity and nutrient relation, 581
—smut, disease gradients, 1124
—smut resistance, genotype evaluation, 1080
Sugarcane mosaic virus
—field losses, 1109
—maize dwarf mosaic virus strains related to, serology, 1131
—proteins induced by, size variation, 528
—on sorghum, rhythmic variation, 1099
Sullivan, D. A., 847
Summers, M. D., 1090
Sumner, D. R., 248, 1088, 1115, 1116
Sun, T. J., 1078
Sunflower
—*Pseudomonas tagetis* on, circadian leaf movements, 1118
—reaction to *Phoma macdonaldii*, 956
—Sclerotinia wilt of: factors, 1120; plant population and inoculum density effect, 71
Suparyono, 1079
Suppressive soils
—calcium and *Pythium*, 221
—*Fusarium* and *Alcaligenes* spp., 171
—*Pythium splendens*, calcium and organism effect, 215
—*Pythium ultimum*, chemical and biological factors, 1221
—wheat take-all decline, microorganism role, 342
Suslow, T. V., 1069, 1077
Sutton, J. C., 656, 657
Sutton, T. B., 119, 199, 1083
Svircev, A. M., 622, 1111
Sweet clover necrotic mosaic virus, on tobacco, mesophyll protoplast infection, 1121
Sweet potato
—soilborne pathogens, solarization effect, 1068
—virus disease, new, 1109
Sweet potato feathery mottle virus
—serological detection, 1133
—strain variability, 1126
Sweigard, J. A., 1102
Swiecki, S. A., 1126
Sylvester, E. S., 1161
Sztejnberg, A., 847

Taber, R. A., 990, 1092, 1168
Tainter, F. H., 698, 1058, 1086, 1133
Tajani, M., 1098
Takai, S., 1086, 1113
Talaromyces flavus, biocontrol agent, edaphic parameters, 643
Tamaki, S., 1099
Tang, A. Y., 1068, 1085
Tarbah, F. A., 1070, 1118
Tattar, T. A., 650
Tatum, J. H., 1135
Tavantzis, S. M., 650, 652
Teaching, student grades and teacher ratings, 1097
Teng, P. S., 1046, 1067, 1146
Tewari, J. P., 1103, 1140
Thakur, R. P., 536
Thal, W. M., 190, 590, 1106
Thanatephorus cucumeris, losses in bean and corn, 375
Thaveechai, N., 139, 148
Thecaphora cuneata, on *Grindelia camporum*, in Arizona, 1124
Thelephora terrestris, on pines, triadimefon effect on, 824
Therrien, C. D., 566
Thiel, P. G., 1040
Thielaviopsis basicola
—on cotton seedlings, soil factor, 286
—fungicide effect on, 1106
—on tobacco, pseudomonads for control, 181, (183)
Thomas, C. E., 1081
Thomas, C. S., 1080, 1114
Thomas, J., 652
Thomas, P. E., 540, 844, 847
Thomas, S. H., 1108
Thomison, P. R., 566
Thomson, S. V., 476, 1140
Threadgill, E. D., 1088
Thyr, B. D., 843, 844
Thyronectria austro-americana, on honeylocust, temperature and wound age effect, 313
Tiffany, M. G., 1091
Tillage
—corn stalk rot and rhizosphere *Fusarium* populations, 1130
—plant-parasitic nematode populations affected by, crop rotation, 1108
—*Rhizoctonia* and collembola affected by, cropping system, 1120
—Rhizoctonia bare patch of wheat, crop rotation relation, 669
—wheat chaff effect on *Pythium*, 1330
Tilletia spp.
—*T. controversa*, promycelial formation, temperature effect, 1102
—*T. indica*: crosses verified by isozyme analysis, 562; grass host range, 1146; teliospore germination, soil fumigation effects, 1060; teliospores, quantifying in soil, 1144
Timian, R. G., 360, 1122, 1131
Timmer, L. W., 66, 707, 847, 1072, 1093, 1110
Tisserat, N., 1130
Tobacco
—black root rot of, pseudomonad for control, 181
—black shank of: epidemiology, inoculum density and distribution, 1153; soil water effect on epidemiology, 1213
—blue mold: antifungal factors removed, resistance effect, 1092; plant age and leaf position effect, 455; stem injection for protection, 938; susceptibility, duvatrienediol removal, 1092; systemic resistance in, 1106
—*Glomus macrocarpum* on, stunt disease from, 688
—hypersensitive cell death, bacterial induction, 1137
—ozone effect, viruses affected by, 1096
—*Peronospora tabacina* on, metalaxyl resistance, 1116
—Rhizoctonia leaf spot, temperature and misting effect, 1119
—root rot severity and inoculum density,

566
Tobacco etch virus, tobacco flower color effect, 1126
Tobacco mosaic virus
—on bean, intercellular wash fluid, characterization, 1062
—beetle regurgitant effect on transmission, 808
—mutants, insertions or deletions in coat protein gene, 1095
—satellite virus interaction on hosts, 1072
—sequence identification in disease, 1095
—sequence variation, 1095
Tobacco ringspot virus
—RNAs in, nucleotide sequences, 1091
—on soybean, leaf angle and circadian leaf movement effect, 1074
Tobacco streak virus, serology in isolates, 842
Tobacco vein mottling virus, RNA, nucleotide sequence, 1090
Toler, R. W., 1072, 1090, 1107, 1131, 1132
Tolin, S. A., 759, 764
Tomas, A., 1125
Tomasino, S. F., 1072
Tomato
—bacterial aerosol generation on, cultural practice, 1070
—bacterial leaf spot, spectrophotometric measurements, computer aided, 1077
—bacterial spot, pathogen survival in crop residue, weeds, and seeds, 430
—*Botrytis* and *Mucor* on, host pathogen interaction, 573
—fruit necrosis, virus-induced, in Jordan, 1126
—Fusarium crown and root rot: glyphosate effect, 1125; phosphorus and mycorrhiza effect, 942
—Fusarium wilt resistance induced, 1281
—late blight, detection with infrared photography, 1093
—Phytophthora root rot, water stress effect, 1124
—postharvest decay, treatment for reducing, 1087
—*Rhizopus stolonifer* infection, enzyme detection in fruits, 42
—root disease, nuclear magnetic resonance imaging, 1067
—sulfur dioxide and ozone effect on growth and yield, 1338
—viroid binding proteins from, 1131
—yellow leaf curl virus of, partial characterization, 842
Tomato curly top virus, resistance and integrated pest management for control, 540
Tomato lethal necrosis virus, etiology, 374
Tomato ringspot virus, monoclonal antibodies, characterization, 1062
Tomato spotted wilt virus, control, 1134
Tomerlin, J. R., 566
Tomimatsu, G. S., 1111
Tomita, J. K., 1124
Tomlinson, J. A., 847
Tooley, P. W., 407, 410, 554, 566, 1102, 1143, 1209
Torres, H., 1116
Torres, R., 372
Towers, B., 564
Toxins (see also Mycotoxins and Phytotoxins)
—aflatoxin: on corn in field, inoculation technique, 290; in raisins, suppression by solar heating, 335
—host-specific, from *Helminthosporium oryzae*, 261
—T-toxin, effect on fitness, in corn, 1294
Tranzschelia spp., teliospore germination of, 1026
Treeful, L. M., 1105
Tremaine, J. H., 491
Trevathan, L. E., 290, 1082
Trichoderma spp.: plant growth induced by, mechanism, 518; in rhizosphere, 60; Rhizoctonia damping-off of radish controlled by, 306; seed treatment for pea damping-off, biocontrol mechanism, 720
—*T. harzianum*: benomyl resistant isolates, in soil, 1066; rhizosphere competence in, implications, 1104; rhizosphere competent mutants, activity, 1104; strains of, protoplast fusion, 1104
Trigiano, R. N., 1111
Triplett, E. W., 1076
Trolinger, J. C., 1071
Tsao, P. H., 847
Tucker, D. H., Jr., 290
Tuite, J. F., 37
Tulip breaking virus, mouse monoclonal antibodies for detection, properties, 1132
Tuovinen, O. H., 1105
Turbek, C. S. M., 1112
Turfgrass (see also Bluegrass)
—frost damage to, pathogens, 958
—growth retardants for, phytotoxicity and pathogenicity, 657
—Pythium blight of, detection with monoclonal antibody, 1057
—take-all patch of, management in bentgrass with fertilizer, 1057
Turner, J. T., 1094
Turner, P. C., 1099
Tuskan, G. A., 958
Tuzun, S., 455, 938, 1092, 1116
Typhula spp.
—saprophytic ability, 695
—sclerotia in soil and water in wheat fields, 278

Uchida, J. Y., 845, 1130
Ueng, P. P., 1131
Ultrastructure (see Electron microscopy)
Uncinula necator
—ascospore discharge, mechanism, 1145
—on grape, epidemiology, 374
Urban, L. A., 1074
Uredinopsis mirabilis
—on *Abies balsamea*: bayleton and benodanil effect, 650; infection percentage, 650
—aeciospore dissemination relation to rainfall, 655
Uromyces spp.: teliospore germination of, 1026
—*U. appendiculatus*: on bean, calmodulin characterization and purification, 1137; on bean, races, resistance genes, 566; cell-substratum adhesive protein in, 1142
—*U. phaseoli*, on bean, cultivar mixture effect, 895
Ustilago spp.
—*U. hordei*, genetics of, mutagenesis and recombination, 1128
—*U. maydis*: fatty acid composition, ergosterol biosynthesis inhibiting fungicide, 566; virus P4, toxin gene products from, 1130
Utermohlen, J. G., 1073
Utkhede, R. S., 847
Uyemoto, J. K., 847, 1080

Vaillancourt, L. J., 1112
Vainstein, M. H., 638
Valent, B., 383
Valverde, R. A., 459, 1072
Van Alfen, N. K., 1128
van Bruggen, A. H. C., 568, 659, 800, 869, 874, 1097
van der Merwe, P. J. A., 1089
van der Zwet, T., 564, 1077, 1101, 1140
Van Dyke, C. G., 1111
van Ginkel, M., 1112
Van Gundy, S. D., 377, 378, 1086
Van Pelt, N. J., 1131
Van Schage, J. G., 483
Van Scoyoc, S. W., 1123
Vanderplank, J. E., 382
Vanilla, viruses of, in Society Islands, 1091
Vann, S. R., 1107
Varela, F., 375
Vásquez, R. E., 377
Velasco, V., 848
Vélez, J. A., 375
Venette, J. R., 956
Venturia inaequalis
—on apple: ascospore dose forecasting, 112; ascospore germination and penetration, 658; ergosterol biosynthesis-inhibiting fungicides, 119
—ascospores of, deposition efficiency, 1082
—ascospore discharge, patterns, 985
—ascospore penetration of apple leaves, differentiation, 1107
—*Athelia bombacina* antagonistic to, stains for, 1104
—fungicides for: in greenhouse and field, 1066; synergistic interactions, 658
—pathogenicity, resistance in apple, 660
—pseudothecia of, temperature and moisture effect, 199
Vera Cruz, C. M., 1117
Verticicladiella wageneri
—tree mortality, site conditions, 1058
—variance of, electrophoretic characteristics, 845
Verticillium spp., population dynamics, host genotype and metam sodium effect, 1094
—*V. albo-atrum*: on alfalfa, anatomical response, 522, (524-526); on alfalfa, filtrate use in resistance, 653; on alfalfa, flowering affected by, 657; on alfalfa, leafcutter bee vector, 75, (75-78); on alfalfa, soil strain persistence, 576; host specificity, 1111
—*V. dahliae*: conidial production of, inhibition with ammonium sulfate, 788, (789); on cotton, pathotype differentiation, 1107; on cotton, resistance and distribution relation, 1005; on cotton, sesquiterpenoids in stems of, 1011, (1012); hydroxamate siderophores produced by, 1081; on peanut, sap flow in susceptible cultivars, 500; on pepper, resistance, 1068; on potato, interaction with *Alternaria* and leafhopper, 1046; on potato, soil solarization for, genotype resistance, 1021; potato genotype response to culture filtration, 1112; in soil and potato tissue, irrigation and fertility relation, 730
Vesonder, R. F., 1147
Vicia faba
—Botrytis blight of, antigens in host cytoplasm, detection, 622, (623-625)
—cytoplasm, *Botrytis* antigens in, 1111
Vidaver, A. K., 1135, 1136
Vidhyasekaran, P., 261
Villalón, B., 377, 1080, 1120
Villarreal, L. A., 377
Vimard, B., 465
Viruses (see also under specific viruses)
—beetle-transmitted, properties and transmissibility, 1122
—caulimoviruses, recombination in mixed infections, 1090
—cereal, detection with dot immunobinding assay and ELISA, 1131
—Commelinaceae, five naturally occurring viruses, 372
—dot immunodetection procedure for, 1062
—double-stranded RNA, in 23 viruses, 459
—ELISA plate reader, construction, 1217, (1218)
—ELISA plates for, reconditioning, 483
—luteoviruses, identification and classification, RNAs, 1062
—potyvirus: helper component, a glycoprotein, 1063; monoclonal antibodies, antigenic specificity, 1091
—proteins specific to, temporal accumulation in whole plants, 1062
—spatial pattern, quantitative description, 243
Volvariella volvacea
—isozyme analysis use, 654

—isozyme loci, segregation, 658
Von Chong, K., 1063
von Qualen, R. H., 1093
von Qualen, S. K., 1106
von Wechmar, M. B., 1127
Vougi, L. R., 563

Wach, M. P., 1121
Wade, M., 1127
Wagner, J. E., 1104
Wagner, R. E., 1057
Waindle, M. L., 1117
Waiss, A. C., Jr., 1011
Waldron, J. K., 1088
Walker, J. C., 1152
Walker, M. E., 1063
Walkinshaw, C. H., 1085, 1133, 1141
Wall, G. C., 1142
Wall, J. H., 1144
Walla, J. A., 958
Wallis, G., 651
Walnut, witches'-broom, in Georgia, 1139
Wang, B. S. P., 1113
Wang, H.-L., 1091
Wargo, P. M., 659
Warkentin, D. S., 1090
Warren, H. L., 1106
Warwick, D., 1073
Waterfield, W. F., 566
Watermelon mosaic virus 2
—acquisition and inoculation by plant and vector, 1276
—spatial and temporal spread, virus-suppression and aphid resistance, 1254
Watkins, J. E., 1060
Watson, A. K., 1115
Watson, G. R., 1081
Weaber, K. F., 655
Webb, R. E., 563
Weber, D., 40
Webster, R. K., 661, 843, 1102, 1146, 1147
Weeden, N. F., 659
Weidemann, G. J., 1080
Weingartner, D. P., 1114
Weinstein, G. A., 846
Weisburg, W. G., 1083
Weller, D. M., 1059
Wells, D. W., 1070
Wells, J. M., 564, 658, 1077, 1083, 1101, 1136
Weltzien, H. C., 1104
Welvaert, W., 1141
Wene, E. G., 956, 958
Wenko, L., 1143
Wenner, N. G., 659
Whalen, C. H., 568, 869
Wheat
—anther culture and plant regeneration from, 1146
—black chaff, frost effect, 1134
—*Corynebacterium michiganense* on, seed detection, 1099
—disease control with foliar fungicides, 841
—durum, infection coefficient for two rusts, 372
—embryo infection and seedling response, seed age effect, 1061
—eyespot, management in Ontario, 656
—foliar diseases: fungicides for in tank mixes, 1060; growth affected by, 1099
—fungal leaf spots of, temperature sensitivity in cultivars, 651
—*Fusarium culmorum* in soil of, chlamydospore persistence, 1205
—Helminthosporium leaf spot of, occurrence and control in Bolivia, 848
—Karnal bunt of, seed and foliar fungicides for, 846
—leaf rust and spots of, fungicides for, 1060
—leaf rust: factors in slow rusting, 841; growth stage and leaf position effect, 1147; host parasite relation, quantitative, 1103; resistance gene segregating loci, 842; time and temperature interactions, 1286; virulence combination and loss in 1985, 1147
—loss assessment, single tiller method, 1098
—microbial community in straw of, tillage effect, 958
—mildew of, unnecessary virulence genes on fitness, 154
—powdery mildew, triadimenol seed treatment, 254
—*Pyrenophora tritici-repentis* on, from brome, 1061
—Rhizoctonia bare patch, crop rotation and tillage effect, 669, (671)
—*Rhizoctonia solani* on, isolate characterization in Australia, 1245
—root colonization by take-all suppressive strain of *Pseudomonas*, 1059
—root colonizers of, soil bacteria, 1070
—seed fungal flora, in Iran, 1108
—seedling emergence, seed treatments for, 958
—Septoria leaf blight, resistance inheritance, 1098
—*Septoria nodorum* leaf and glume blotch, yield effect, 565
—*Septoria tritici* on, genetics of resistance, 1112
—smut of, spike number per plant relation, 843
—soilborne pathogens of, tillage and cropping system effect, 1098
—stem rust, defeated resistance genes, 546
—strawbreaker foot rot, papilla formation and hypersensitivity, 737, (738, 741)
—stripe rust of: resistance to, durable, high-temperature, 435; resistance and temperature genes, 93
—take-all: biocontrol, ELISA for detection, 1319; high and low-nutrient effect, 815; sand effect, 1098
—take-all decline, lesion number and suppressive soil, 342
—tan spot: nitrogen effect, 1098; resistance characterization, 931, (932-936); toxin and symptomatology, 1125
—*Typhula* spp. on, sclerotial survival in fields, 278
—viruses of, rod-shaped, deterioration after antibody decoration, 339, (340)
Wheat soilborne mosaic virus
—monoclonal antibody production, 1133
—wheat yield effect, 1127
Wheat spindle streak mosaic virus
—characterization and time course study, 957
—deterioration after antibody decoration, 339
—ELISA and dot immunobinding for detection, 1132
—grain yield and quality, 1127
Wheat streak mosaic virus
—deterioration after antibody decoration, 339
—evaluation and genetic analysis, ELISA and slot-blot hybridization, 1075
—freezing effect on infectivity, 1075
White, D. G., 1275
White, E. P., 1123
White clover, yield effect of two viruses, 557
Whitmoyer, R. E., 1148
Whitney, E. D., 1074, 1077, 1089
Wicks, Z. W., III, 1120
Wieringa-Brants, D. H., 39
Wiglesworth, M. D., 1092, 1116
Wilcox, W. F., 659, 1065, 1105
Wilcoxson, R. D., 1060, 1105, 1147
Wild rice (see also Rice)
—crown and root rot, in California, 1147
Wilhelm, S., 1005
Wilkinson, H. T., 342, 1018, 1057
Willetts, H. J., 101
Williams, E., Jr., 958
Williams, M. W., 1074
Williams, P. H., 778
Williams, R. W., 670
Williamson, M. A., 1082
Willingale, J., 536
Willman, P. A., 1086
Wills, W. H., 1069
Wilson, D. M., 1063
Wilson, J. D., 1142
Wilson, M. A., 1068
Windels, C. E., 958, 1061, 1063
Windham, M. T., 518, 720; 1071
Windom, G. E., 842
Wise, R. P. 1060
Wisler, G. C., 1076, 1091
Wofford, D. S., 843
Wokoma, E. C., 1148
Wong, S.-M., 1062
Wongkaew, S., 294
Woods, D. M., 1248
Wootke, S. L., 957, 958
Worf, G. L., 958
Wu, B., 564, 1093
Wu, F. C., 1131
Wyllie, T. D., 1088
Wymore, L. A., 1115
Wynne, J. C., 1147

Xanthomonas spp., epiphytic growth and survival of, factors affecting, 847
—*X. campestris*: on bean, circumnutation relation, 712; on bean, leaf movement alterations, 270; on bean, lesion development and HF relation, 658; on bean, mutuant identification, 1136; on bean, resistance tested with dry inoculum, 1079; on bean, survival in tillage systems, 1078; in carrot seed, detection medium, 1109; in citrus, detection by membrane entrapment and immunofluorescence, 1101; on citrus, genomic fingerprints, 1137; on citrus, survival on fruit, 1135; on citrus budwood, disinfectants for, 1076; on cotton, cloned avirulence genes, 1099; on cotton, gene mutagenesis, transconjugants, 1076; on cotton, mutant, extracellular protease-deficient, 1140; on crucifer seed, Alcide for, 1109; on crucifer seed, occurrence and survival, 1306; epiphytic distribution, lognormal, 1136; genetic analysis using bioluminescence, 846; genetically and pathologically related pathovars, 1076; on kidney bean, air pollution effects, 514; on lime, unique strains, 1078; membrane proteins of, immunochemistry, 148; membrane proteins of, serology, 139; mutants of, host range, 844; pathogenicity of Indian isolates, 881; pathovar taxonomy, membrane protein analysis, 1117; pathovars of, differentiation without pathogenicity, 1076; on peach, pruniphage and epiphytic bacterial interaction, 549; on peach and plum, epiphytic behavior, 1070; on pepper, hypersensitivity and parasitism, 1078; plasmid in, copper resistance and avirulence loci, 240; races, phenotypic variation, 1117; resistant to cotton phytoalexin, reactive oxygen, 1078; on rice, populations, 1140; on soybean, auxin production, 1101; on soybean, histopathology and growth, 959, (962, 963); strains of, serology, 841; on tomato, survival in residue, weeds, seeds, and plants, 430
Xie, W., 1063
Xiong, Z., 1090
Xixuan, J., 1111
Xu, G.-W., 414, 423
Xu, Z., 390
Xuei, X.-L., 1092
Xylemella fastidiosum, new genus of fastidious bacteria on plants, 1083

Yang, S. M., 1082
Ye, H., 737
Yeh, S.-D., 1091
Yeh, W. H., 1105
Yepes, L. M., 670

Yoder, O. C., 383
Yokomi, R. K., 1074
Yost, R. S., 1097
Young, C. S., 1104
Young, D. J., 845
Young, R. J., 566
Yuen, G. Y., 171, 176, 1078

Zaim, M., 1109
Zaki, M. J., 1134
Zamora-D., M., 377
Zavala, T., 377
Zavaleta-Mejía, E., 377, 378
Zehr, E. I., 1070
Zelikovitch, N., 1061
Zentmyer, G. Z., 159
Zeringue, H. J., Jr., 1125
Zeron, F., 372
Zettler, F. W., 372, 373, 632, 1091
Zheng, Y., 1131
Zhu, Z., 1114
Zimmer, R. C., 878
Zimmerman, M. J. de O., 1073
Zinnia, *Pseudomonas* of, biocontrol, 176
Zion, R., 1081
Zitter, T. A., 652
Zook, M., 1067
Zucchini yellow mosaic virus
—aphid transmissible variant, 1063
—beetle regurgitant effect on transmission, 808
—characterization, South Carolina, 651
—on squash, seed transmission, 1073
Zuck, M. G., 658
Zummo, N., 1098, 1119